

































ROOM NO- **104**

DATE **05/12/2023**  
**10:00AM**

ROOM CAPACITY-(6x7)=42

BASEAD ON DEPARTMENT	ROLL NUMBER		TOTAL	BASEAD ON INSTITUTE	
	FROM	TO			
4CT-22(RF)	614639	614314	3	TMSS→4CT-22(RF)	2
				0→0	
4EM-22(RF)	615074	615074	1	TMSS→4EM-22(RF)	1
4GD-22(RF)	617113	617117	2	IBIT→4CT-22(RF)	1
2CT-22(RF)	614683	614683	1	TISI→4GD-22(RF)	2
2CST-22(RF)	615017	615021	2	TMSS→2CT-22(RF)	1
2ET-22(RF)	614805	614805	1	TMSS→2CST-22(RF)	2
3GD-22(RF)	617104		1	TMSS→2ET-22(RF)	1
3ET-22(RF)	616641	616641	1	TISI→3GD-22(RF)	1
3CT-22(RF)	616497	614729	3	BITE→3ET-22(RF)	1
3CST-22(RF)			2	SAIC→3CT-22(RF)	1
6ET(RF)	515531	515731	3	TMSS→3CT-22(RF)	2
ALIED(RF)		190468	7	TMSS→3CST-22(RF)	2
				BPI→6ET(RF)	3
				BPI→ALIED(RF)	7

27

4CT-22(RF) 614639 TMSS REFF	6ET(RF) 515531 BPI REFF	3GD-22(RF) 617104 TISI REFF	0 0 0 0	4GD-22(RF) 617113 TISI REFF	ALIED(RF) 190466 BPI REFF
2CST-22(RF) 615017 TMSS REFF	0 0 0 0	0 0 0 0	ALIED(RF) 190463 BPI REFF	3CT-22(RF) 614729 TMSS REFF	0 0 0 0
4CT-22(RF) 614745 TMSS REFF	6ET(RF) 515537 BPI REFF	3ET-22(RF) 616641 BITE REFF	0 0 0 0	4GD-22(RF) 617117 TISI REFF	ALIED(RF) 190467 1 BPI REFF
2CST-22(RF) 615021 TMSS REFF	0 0 0 0	4EM-22(RF) 615074 TMSS REFF	ALIED(RF) 190464 BPI REFF	3CST- 22(RF) 615004 TMSS REFF	0 0 0 0
0 0 0 0	6ET(RF) 515731 BPI REFF	3CT-22(RF) 616497 SAIC REFF	0 0 0 0	0 0 0 0	ALIED(RF) 190468 1 BPI REFF
2ET-22(RF) 614805 TMSS REFF	0 0 0 0	4CT-22(RF) 614314 IBIT REFF	ALIED(RF) 190465 BPI REFF	3CST- 22(RF) 615048 TMSS REFF	0 0 0 0
0 0 0 0	ALIED(RF) 190462 BPI REFF	3CT-22(RF) 614722 TMSS REFF	0 0 0 0	2CT-22(RF) 614683 TMSS REFF	0 0 0 0

















































