

ROOM NO-

1102

DATE

**06/12/2023
02.00PM**

BASEAD ON DEPARTMENT	ROLL NUMBER		TOTAL
	FROM	TO	
6CT	514479	514976	13
6MT	413742	516152	14
6CMT	515342	515357	13
			40

BASEAD ON INSTITUTE	
0→0	
TMSS→6CT	7
GTO→6CT	1
IBIT→6CT	2
BPI→6CT	3
BPI→6MT	14
BPI→6CMT	13
→	

ROOM CAPACITY-(6x9)=54

0	6MT	6CT	6CMT	0	6MT
0	413742	514483	515348	0	516141
0	BPI	TMSS	BPI	0	BPI
0	Regular	REGULER	Regular	0	Regular
6CT	6CMT	0	6MT	6CT	6CMT
514479	515342	0	516132	412046	592660
TMSS	BPI	0	BPI	IBIT	BPI
REGULER	Regular	0	Regular	REGULER	Regular
0	6MT	6CT	6CMT	0	6MT
0	413804	514488	515351	0	516146
0	BPI	TMSS	BPI	0	BPI
0	Regular	REGULER	Regular	0	Regular
6CT	6CMT	0	6MT	6CT	6CMT
514480	515343	0	516135	494735	515354
TMSS	BPI	0	BPI	BPI	BPI
REGULER	Regular	0	Regular	Regular	Regular
0	6MT	6CT	6CMT	0	6MT
0	516118	514491	515353	0	516149
0	BPI	TMSS	BPI	0	BPI
0	Regular	REGULER	Regular	0	Regular
6CT	6CMT	0	6MT	6CT	6CMT
514481	515344	0	516137	505682	515355
TMSS	BPI	0	BPI	BPI	BPI
REGULER	Regular	0	Regular	Regular	Regular
0	6MT	6CT	6CMT	0	6MT
0	516122	517327	527413	0	516150
0	BPI	GTO	BPI	0	BPI
0	Regular	REGULER	Regular	0	Regular
6CT	6CMT	0	6MT	6CT	6CMT
514482	515346	0	516139	514976	515357
TMSS	BPI	0	BPI	BPI	BPI
REGULER	Regular	0	Regular	Regular	Regular
0	6MT	6CT	6CMT	0	6MT
0	516124	412033	542720	0	516152
0	BPI	IBIT	BPI	0	BPI
0	Regular	REGULER	Regular	0	Regular

বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া
পর্ব সমাপনা পরিক্ষা-২০২৩

ROOM NO-

1103

DATE

**06/12/2023
02.00PM**

ROOM CAPACITY-(6x7)=42

BASEAD ON DEPARTMENT	ROLL NUMBER		TOTAL
	FROM	TO	
6CT	514977	514991	10
6MT	516153	516168	11
6CMT	515358	515376	10
			31

BASEAD ON INSTITUTE	
0→0	
BPI→6CT	10
BPI→6MT	11
BPI→6CMT	10
→	

0 0 0 0	6MT 516153 BPI Regular	6CT 514983 BPI Regular	6CMT 515363 BPI Regular	0 0 0 0	6MT 516163 BPI Regular
6CT 514977 BPI Regular	6CMT 515358 BPI Regular	0 0 0 0	6MT 516158 BPI Regular	6CT 514987 BPI Regular	6CMT 515369 BPI Regular
0 0 0 0	6MT 516154 BPI Regular	6CT 514984 BPI Regular	6CMT 515365 BPI Regular	0 0 0 0	6MT 516165 BPI Regular
6CT 514979 BPI Regular	6CMT 515359 BPI Regular	0 0 0 0	6MT 516159 BPI Regular	6CT 514990 BPI Regular	6CMT 515373 BPI Regular
0 0 0 0	6MT 516155 BPI Regular	6CT 514985 BPI Regular	6CMT 515366 BPI Regular	0 0 0 0	6MT 516166 BPI Regular
6CT 514981 BPI Regular	6CMT 515360 BPI Regular	0 0 0 0	6MT 516160 BPI Regular	6CT 514991 BPI Regular	6CMT 515376 BPI Regular
0 0 0 0	6MT 516156 BPI Regular	6CT 514986 BPI Regular	6CMT 515368 BPI Regular	0 0 0 0	6MT 516168 BPI Regular

ROOM NO- **1107**
DATE **06/12/2023**
 02.00PM

ROOM CAPACITY-(6x9)=54

BASEAD ON DEPARTMENT	ROLL NUMBER		TOTAL
	FROM	TO	
6CT	515039	515066	13
6MT	516252	516277	14
6CMT	515447	515465	13
			40

BASEAD ON INSTITUTE	
0→0	
BPI→6CT	13
BPI→6MT	14
BPI→6CMT	13
→	

40

0	6MT	6CT	6CMT	0	6MT
0	516252	515054	515452	0	516267
0	BPI	BPI	BPI	0	BPI
0	Regular	Regular	Regular	0	Regular
6CT	6CMT	0	6MT	6CT	6CMT
515039	515447	0	516259	515061	515460
BPI	BPI	0	BPI	BPI	BPI
Regular	Regular	0	Regular	Regular	Regular
0	6MT	6CT	6CMT	0	6MT
0	516254	515055	515453	0	516272
0	BPI	BPI	BPI	0	BPI
0	Regular	Regular	Regular	0	Regular
6CT	6CMT	0	6MT	6CT	6CMT
515044	515448	0	516261	515062	515463
BPI	BPI	0	BPI	BPI	BPI
Regular	Regular	0	Regular	Regular	Regular
0	6MT	6CT	6CMT	0	6MT
0	516255	515056	515454	0	516273
0	BPI	BPI	BPI	0	BPI
0	Regular	Regular	Regular	0	Regular
6CT	6CMT	0	6MT	6CT	6CMT
515050	515449	0	516264	515064	515464
BPI	BPI	0	BPI	BPI	BPI
Regular	Regular	0	Regular	Regular	Regular
0	6MT	6CT	6CMT	0	6MT
0	516256	515059	515455	0	516274
0	BPI	BPI	BPI	0	BPI
0	Regular	Regular	Regular	0	Regular
6CT	6CMT	0	6MT	6CT	6CMT
515053	515451	0	516265	515066	515465
BPI	BPI	0	BPI	BPI	BPI
Regular	Regular	0	Regular	Regular	Regular
0	6MT	6CT	6CMT	0	6MT
0	516258	515060	515457	0	516277
0	BPI	BPI	BPI	0	BPI
0	Regular	Regular	Regular	0	Regular

ROOM NO- **1302**

DATE **06/12/2023**
02.00PM

ROOM CAPACITY-(6x9)=54

BASEAD ON DEPARTMENT	ROLL NUMBER		TOTAL
	FROM	TO	
6CT	515067	515083	13
6MT	516278	413931	14
6CMT	515466	514572	13
			40

BASEAD ON INSTITUTE	
0→0	
BPI→6CT	13
BPI→6MT	14
BPI→6CMT	8
P.BOGURA→6CMT	1
TMSS→6CMT	4
→	

0	6MT	6CT	6CMT	0	6MT
0	516278	515073	515470	0	516322
0	BPI	BPI	BPI	0	BPI
0	Regular	Regular	Regular	0	Regular
6CT	6CMT	0	6MT	6CT	6CMT
515067	515466	0	516308	515080	514569
BPI	BPI	0	BPI	BPI	TMSS
Regular	Regular	0	Regular	Regular	REGULER
0	6MT	6CT	6CMT	0	6MT
0	516279	515074	515471	0	586018
0	BPI	BPI	BPI	0	BPI
0	Regular	Regular	Regular	0	Regular
6CT	6CMT	0	6MT	6CT	6CMT
515069	515467	0	516310	515081	514570
BPI	BPI	0	BPI	BPI	TMSS
Regular	Regular	0	Regular	Regular	REGULER
0	6MT	6CT	6CMT	0	6MT
0	516280	515075	522898	0	113941
0	BPI	BPI	BPI	0	BPI
0	Regular	Regular	Regular	0	Regular
6CT	6CMT	0	6MT	6CT	6CMT
515071	515468	0	516316	515082	514571
BPI	BPI	0	BPI	BPI	TMSS
Regular	Regular	0	Regular	Regular	REGULER
0	6MT	6CT	6CMT	0	6MT
0	516285	515077	553657	0	411132
0	BPI	BPI	BPI	0	BPI
0	Regular	Regular	Regular	0	Regular
6CT	6CMT	0	6MT	6CT	6CMT
515072	515469	0	516318	515083	514572
BPI	BPI	0	BPI	BPI	TMSS
Regular	Regular	0	Regular	Regular	REGULER
0	6MT	6CT	6CMT	0	6MT
0	516293	515079	517666	0	413931
0	BPI	BPI	P.BOGURA	0	BPI
0	Regular	Regular	REGULER	0	Regular

ROOM NO-

312

DATE

**06/12/2023
02.00PM**

BASEAD ON DEPARTMENT	ROLL NUMBER		TOTAL
	FROM	TO	
6CT	514437	514478	25
6CMT	515311	515338	10
			35

BASEAD ON INSTITUTE	
TMSS→6CT	25
BPI→6CMT	10
0→0	
→	

ROOM CAPACITY-(6x7)=42

6CT 514437 TMSS REGULER	6CMT 515311 BPI Regular	6CT 514430 TMSS REGULER	6CT 514478 TMSS REGULER	6CT 514460 TMSS REGULER	6CMT 515325 BPI Regular
6CT 514418 TMSS REGULER	6CT 514472 TMSS REGULER	6CT 514456 TMSS REGULER	6CMT 515317 BPI Regular	6CT 514434 TMSS REGULER	0 0 0 0
6CT 514442 TMSS REGULER	6CMT 515313 BPI Regular	6CT 514431 TMSS REGULER	0 0 0 0	6CT 514468 TMSS REGULER	6CMT 515331 BPI Regular
6CT 514421 TMSS REGULER	6CT 514473 TMSS REGULER	6CT 514457 TMSS REGULER	6CMT 515322 BPI Regular	6CT 514435 TMSS REGULER	0 0 0 0
6CT 514444 TMSS REGULER	6CMT 515314 BPI Regular	6CT 514432 TMSS REGULER	0 0 0 0	6CT 514470 TMSS REGULER	6CMT 515338 BPI Regular
6CT 514424 TMSS REGULER	6CT 514476 TMSS REGULER	6CT 514459 TMSS REGULER	6CMT 515324 BPI Regular	6CT 514436 TMSS REGULER	0 0 0 0
6CT 514449 TMSS REGULER	6CMT 515315 BPI Regular	6CT 514433 TMSS REGULER	0 0 0 0	6CT 514471 TMSS REGULER	0 0 0 0

