



BOGURA POLYTECHNIC INSTITUTE

FINAL EXAM.		7th RAC				TIME-10AM			
নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং	
1	734639	১৩০৫	46	905846	কক্ষ নং : ২২৮				
2	807332		47	905848					
3	905784		48	905851					
4	905785		49	905852					
5	905788		50	905856					
6	905791		51	905857					
7	905792		52	905860					
8	905793		53	905861					
9	905794		কক্ষ নং : ১০৩	54		905864	কক্ষ নং : ২২৮		
10	905795	55		905867					
11	905796	56		905869					
12	905797	57		905874					
13	905799	58		905876					
14	905800	59		908108					
15	905803	60		908109					
16	905804	61		908121	৯০২৫				
17	905812	62		923042					
18	905813	63	925162						
19	905814	64	937045						
20	905815	65	938855						
21	905816	66	313076						
22	905819								
23	905820	TTI							
24	905821	67	950423	১২০৮					
25	905825								
26	905826								
27	907985								
28	908051	কক্ষ নং : ক্যান্টিন							
29	923024								
30	923038								
31	313064								
32	313091								
33	313098								
34	313102								
35	323956								
36	678177		কক্ষ নং : ১২০৩						
37	900634								
38	905830								
39	905832								
40	905835								
41	905836								
42	905837								
43	905838								
44	905841								
45	905843	২২৮							


 বুরগা পলিটেকনিক ইনস্টিটিউট, বগুড়া
 ডিসি, পরীক্ষা নিয়ন্ত্রণ সেল
 বুরগা পলিটেকনিক ইনস্টিটিউট, বগুড়া


BOGURA POLYTECHNIC INSTITUTE

FINAL EXAM.			7TH	TH		TIME-10AM		
নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং
1	905958	৩০৫	46	900111	১২০৩			
2	905959		47	906002				
3	905960		48	906004				
4	905961		49	906006				
5	905962	কক্ষ নং : ২০১	50	906007	কক্ষ নং : ১২০৩			
6	905963		51	906008				
7	905964		52	906011				
8	905965		53	906012				
9	905966		54	906015				
10	905967		55	906017				
11	905968		56	906019				
12	905969		57	906023				
13	905970	কক্ষ নং : ১০৩	58	906024	কক্ষ নং : ১২০৩			
14	905971		59	906027				
15	905972		60	906030				
16	905974		61	906031				
17	905976		62	906032				
18	905979		63	906033				
19	905980		64	906034				
20	905981		65	906035				
21	905982		66	906037				
22	905983		67	906040				
23	905984	কক্ষ নং : ক্যান্টিন	68	906041	১২০৮			
24	905985		69	906042				
25	905986		70	906043				
26	905988		71	906044				
27	905990		72	935525				
28	905991		73	935526				
29	905992							
30	905993							
31	905994							
32	905995							
33	905997							
34	906000							
35	943842							
36	387808							
37	387902							
38	900099							
39	900101							
40	900103							
41	900104	১২০৩						
42	900105							
43	900107							
44	900109							
45	900110							


 মুহাম্মদ মোহাম্মদ আলমগীর
 ডপির, পরীক্ষা নিয়ন্ত্রণ সেল
 বগুড়া পলিটেকনিক ইনস্টিটিউট, বগুড়া

BOGURA POLYTECHNIC INSTITUTE


FINAL EXAM.			7th	ENT	/EMT	TIME-10AM			
নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং	
1	100132	কক্ষ নং : ৩০৯	46	908827	১৩০৬	91	905485	কক্ষ নং : ১১০৪	
2	100133		47	908829		92	907728		
3	100134		48	914462		93	907731		
4	100135		49	917545	কক্ষ নং : ১১০২	94	907745		
5	308513		50	920218		95	907765		
6	312611		51	922815		96	907777		
7	312612		52	922837		97	907793		
8	320180		53	209781		98	907800		
9	902401		54	209802		99	907816		
10	902402		55	209822		100	909732		
11	902405		56	312629		101	909760		
12	902406		57	312640		102	910358		
13	902407		58	312641		103	911366		
14	902410		59	312648		104	911411		
15	902411		60	312665		105	919744		
16	905393		61	323369		106	928949		১১০৭
17	905395		62	902412		107	932440		
18	905397		63	902413		108	936686		
19	905398		64	902414					
20	905401	কক্ষ নং : ৩১০	65	902416	কক্ষ নং : ১৩০৩	TTI			
21	905402		66	902418		109	950361	১১০৭	
22	905405		67	902420		110	950365		
23	905406		68	902422		111	950366		
24	905407		69	902424		112	950370		
25	905408		70	903172		113	950371		
26	905409		71	905437		114	311967		
27	905410		72	905439					
28	905411	73	905440	EMT					
29	905412	কক্ষ নং : ৩১২	74	905441	কক্ষ নং : ১০৩	115	950430	১১০৮	
30	905414		75	905443					
31	905415		76	905445					
32	905416		77	905450					
33	905417		78	905451					
34	905418		79	905454					
35	905419		80	905458					
36	905421		81	905460					
37	905423		82	905461					
38	905424		83	905469					
39	905425	84	905472						
40	905427	85	905473						
41	905432	১৩০৬	86	905478	কক্ষ নং : ১১০৩				
42	905433		87	905479					
43	905434		88	905480					
44	905435		89	905481					
45	905436		90	905482					


 বগুরা পলিটেকনিক ইনস্টিটিউট
 ডায়নি, পলিটেকনিক ইনস্টিটিউট, বগুরা

BOGURA POLYTECHNIC INSTITUTE								
		FINAL EXAM.		7th	MT	TIME-10AM		
নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং
1	182646	কক্ষ নং : ১১০২	46	905504	কক্ষ নং : ১১০৬	91	905566	কক্ষ নং : ১৩০৪
2	209830		47	905505		92	905568	
3	209835		48	905506		93	905570	
4	209872		49	905507		94	905572	
5	209878		50	905509		95	905573	
6	310001		51	905511		96	905575	
7	312671		52	905513		97	905577	
8	312686		53	905514		98	905578	
9	312728		54	905515		99	905579	
10	312734		55	905516		100	905580	
11	312739		56	905517		101	905581	
12	312740		57	905519		102	905583	
13	312756	কক্ষ নং : ১১০৩	58	905521	103	906679	কক্ষ নং : ১৩০৬	
14	312760		59	905522	104	906685		
15	314375		60	905526	105	906686		
16	901615		61	905527	106	906687		
17	901651		62	905528	107	906705		
18	903252		63	905529	108	908932		
19	903273		64	905530	109	908943		
20	903342		65	905531	110	908948		
21	904294		66	905532	111	908954		
22	904301		67	905533	112	921432		কক্ষ নং : ১৩০৭
23	904317		68	905534	113	923719		
24	904319		69	905535	114	923724		
25	904816	70	905536	115	923727			
26	904818	71	905537	116	923750			
27	904819	72	905538	117	925008			
28	904821	73	905539	118	935134			
29	904822	74	905540	119	937976			
30	904823	75	905543	120	100138			
31	904855	76	905544	121	100139			
32	904858	77	905545	122	100140			
33	904860	78	905546	123	209892	কক্ষ নং : ১৪০৭		
34	904864	79	905549	124	312781			
35	905487	80	905550	125	312808			
36	905488	81	905553	126	312851			
37	905490	82	905555	127	312854			
38	905492	83	905557	128	312889			
39	905493	84	905558	129	312895			
40	905494	85	905560	130	318326			
41	905495	86	905561	131	904378			
42	905497	87	905562	132	904824			
43	905501	88	905563	133	904825			
44	905502	89	905564	134	904828			
45	905503	90	905565	135	904833			

✓ **কাজী আব্দুল মোমেন** আলমগীর
 ডি. পলি. পলি. পরিচালক
 বগুড়া পলিটেকনিক ইনস্টিটিউট, বগুড়া

নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং
136	904837	কক্ষ নং : ২২৮	181	905637	৩০৫	226	930782	কক্ষ নং : ৩১০
137	904841		182	905638		227	938021	
138	904844		183	905641		228	940589	
139	904847		184	905642	229	940679		
140	904851		185	905645	230	982370		
141	904853		186	905647	231	982371		
142	905584		187	905649		TTI		
143	905585		188	905651	232	950406	৩১০	
144	905586		189	905653	233	950407		
145	905587		190	905654	234	950411	৩১২	
146	905588		191	905657	235	950412		
147	905590		192	905658	236	950418		
148	905591		193	905659	237	950419		
149	905592	194	905661	238	NIT	৩১২		
150	905593	195	905662	239	310940			
151	905594	196	905664	240	310874			
152	905596	197	905665	241	310886			
153	905598	198	905666	242	310902			
154	905599	199	905667	243	949439			
155	905600	200	905668	244	949440	১৩০৭		
156	905601	201	905671	245	949441			
157	905604	202	905672	246	949442			
158	905605	203	905673	247	949444			
159	905606	204	905674	248	949445			
160	905607	205	905677	249	949447			
161	905608	206	905678	250	949448	কক্ষ নং : ৩১০		
162	905610	207	905680	251	949450			
163	905612	208	905681	252	949452			
164	905613	209	906716	253	949453			
165	905614	210	906720	254	949459			
166	905615	211	909011	255	949465			
167	905616	212	909055	256	949467	কক্ষ নং : ১০১		
168	905617	213	911549	257	949470			
169	905619	214	911586	258	949471			
170	905621	215	911603	259	949472			
171	905623	216	911605	260	949474			
172	905624	217	916111	261	949475			
173	905627	218	923773	262	949476	কক্ষ নং : ১০১		
174	905628	219	923793	263	949481			
175	905630	220	923832	264	949483			
176	905631	221	923833	265	949484			
177	905633	222	930682	266	949487			
178	905634	223	930701	267	949488			
179	905635	224	930712	268	949489	কক্ষ নং : ১০১		
180	905636	225	930720	269	949492			
					৩১০	270	207967	


 মুর্শিদাবাদ জেলা প্রশাসন
 মুর্শিদাবাদ জেলা প্রশাসন
 মুর্শিদাবাদ জেলা প্রশাসন

BOGURA POLYTECHNIC INSTITUTE

FINAL EXAM.

TIME-10AM

7TH		CMT					
নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং	নং	রোল নং
1	183237	কক্ষ নং : ১১০২	46	913457	কক্ষ নং : ১১০৩	91	905177
2	209505		47	919388		92	905180
3	243203		48	919882		93	905181
4	304897		49	922010		94	905182
5	312255		50	922049		95	905183
6	312266		51	929030		96	905184
7	900236		52	935545		97	905185
8	901281		53	937520		98	905186
9	902699		54	938618		99	905187
10	903914		55	940131		100	905188
11	905090		56	943504		101	905189
12	905091	57	943512	102	906890		
13	905094	কক্ষ নং : ১১০৩	58	982377	103	915689	
14	905097		59	209535	104	910142	
15	905098		60	312286	105	922611	
16	905099		61	312296	106	936407	
17	905100		62	312300	107	943515	
18	905101		63	312308			
19	905103		64	312312			
20	905104		65	312332			
21	905105		66	312337			
22	905107		কক্ষ নং : ১১০৪	67	387388		
23	905109			68	806895		
24	905112	69		902769			
25	905113	70		905143			
26	905117	71		905145			
27	905118	72		905146			
28	905119	73		905147			
29	905120	74		905148			
30	905121	75		905150			
31	905122	76		905153			
32	905123	77		905155			
33	905124	78	905156				
34	905125	কক্ষ নং : ১১০৫	79	905157			
35	905126		80	905162			
36	905128		81	905164			
37	905129		82	905166			
38	905130		83	905168			
39	905131		84	905169			
40	905133		85	905170			
41	905135		86	905171			
42	905136		87	905172			
43	905137		88	905173			
44	905138		89	905174			
45	910072	90	905176				

কক্ষ নং : ১১০৪


কক্ষ নং : ১১০৫

১১০৬


মুহুরিন মোহাম্মদ আলমগীর
 ডিসি, পরীক্ষা নিয়ন্ত্রণ সেল
 বগুড়া পলিটেকনিক ইনস্টিটিউট, বগুড়া

--	--	--	--	--	--	--	--	--	--


BITE			TTI			NIT		
নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং
108	950702	কক্ষ নং : ১৩০৬	148	950141	কক্ষ নং : ২২৮	194	310739	কক্ষ নং : ৩০৫
109	950707		149	950148		195	949305	
110	950710		150	950150		196	949307	
111	950711		151	950153		197	949308	
112	950709		152	950154		198	949310	
113	950711		153	950155		199	949313	
114	950712		154	950156		200	949318	
115	950708	১৩০৭	155	950158		201	949321	কক্ষ নং : ৩০৬
			156	950160		202	949324	
IBIT			157	950166		203	949325	
116	949520	কক্ষ নং : ১৩০৭	158	950168		204	949332	
117	949529		159	950169		205	949334	
118	949530		160	950172		206	949335	
119	949533		161	950173		207	949336	
120	949536		162	950174		208	949341	
121	949537		163	950175	209	949343		
122	949540		164	950176	210	949344		
123	949541	কক্ষ নং : ৩০৮	165	950177	211	949345		
124	949542		166	950180	212	949346		
125	949548		167	950181	213	949348		
126	949551		168	950182	214	949350		
127	949554		169	950183	215	949356		
128	949556		170	950184				
129	949559		171	950187				
130	949562	কক্ষ নং : ২০১	172	950189				
131	949563		173	950191				
			174	950192				
Saic Poly			175	950193				
131	213780		৩০৯	176	950194			
132	313989		কক্ষ নং : ১৪০৭	177	950201			
133	950598			178	950203			
134	950599	179		950205				
135	950601	180		950211				
136	950602	181		950212				
137	950604	182		950214				
138	950606	183		950215				
139	950612	184		950217				
140	950615	185		950218				
		186		950219				
TTI			187	950220				
141	950132	কক্ষ নং : ১৪০৭	188	950221	৩০৫			
142	950133		189	950222				
143	950134		190	950226				
144	950137		191	950235				
145	950138		192	950238				
146	950139		193	100123				
147	950140	১২৮						


 মুসজ্জিদ মোহাম্মদ আলিমুল্লাহ
 এম. বি. এ. পদাধীক্ষক নিয়ন্ত্রণ সেল
 সিনিয়র কনিক ইন্সটিটিউট, বগুড়া


FINAL EXAM.		BOGURA POLYTECHNIC INSTITUTE				TIME-10AM			
নং	রোল নং	7th		CT	কক্ষ নং	নং	রোল নং	কক্ষ নং	
		কক্ষ নং	নং	রোল নং					
1	209269	কক্ষ নং : ১১০২	46	904940	কক্ষ নং : ১১০৫	91	909929	কক্ষ নং : ১৩০২	
2	312001		47	904941		92	909946		
3	312020		48	904942		93	910678		
4	312021		49	904943		94	919935		
5	312026		50	904944		95	920003		
6	312068		51	904947		96	920545		
7	312078		52	904948		97	934218		
8	312093		53	904949		98	934231		
9	312098		54	904950		99	936245		
10	312102		55	904951		100	938498		
11	312113		56	904952		101	939094		
12	903817		57	904953		102	939162		
13	904890	58	904956	103	100124				
14	904892	59	904957	104	100126				
15	904894	60	904958	105	100127				
16	904895	61	904960	106	100128				
17	904900	কক্ষ নং : ১১০৩	62	904961	107	181426	কক্ষ নং : ১৩০৩		
18	904901		63	904962	108	181427			
19	904902		64	904964	109	209390			
20	904905		65	904965	110	209402			
21	904906		66	904966	111	209418			
22	904907		67	904967	112	209424			
23	904910		68	904968	113	286605			
24	904911		69	904969	114	312145			
25	904913		70	904973	115	312155			
26	904914		71	904974	116	312197			
27	904915		72	904976	117	312216			
28	904917		কক্ষ নং : ১১০৪	73	904977	118		605455	কক্ষ নং : ১৩০৪
29	904918	74		904978	119	901152			
30	904919	75		904979	120	901153			
31	904920	76		904980	121	901200			
32	904921	77		904981	122	902635			
33	904922	78		904982	123	904991			
34	904923	79		904984	124	904994			
35	904924	80		904985	125	904995			
36	904925	81		904986	126	905000			
37	904927	82		904987	127	905003			
38	904930	83		904988	128	905004			
39	904931	84		906723	129	905005			
40	904932	85	906724	130	905006				
41	904934	86	906764	131	905007				
42	904935	87	909883	132	905008				
43	904937	১১০৫	88	909920	133	905009	কক্ষ নং : ১৩০৫		
44	904938		89	909925	134	905010			
45	904939		90	909926	135	905011			


 নূরুজ্জামান মোহাম্মদ আলিমসীর
 এপি, পরিচালক নিয়ন্ত্রণ সেল
 বগুড়া পলিটেকনিক ইনস্টিটিউট, বগুড়া


						BITE				
নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং		
136	905015	কক্ষ নং : ১৩০৬	181	905081	কক্ষ নং : ১৪০০	201	950685	২২৮		
137	905016		182	905082		202	950686			
138	905017		183	905083		203	950687			
139	905019		184	905084		204	950691			
140	905020		185	905085		205	950692			
141	905021		186	905086		206	950693	২০১		
142	905022		187	905088		207	950699			
143	905026		188	905089						
144	905027		189	906774				IBIT		
145	905028		190	906806		208	100120	কক্ষ নং : ২০১		
146	905030	191	908454	209	310996					
147	905036	192	910808	210	949502					
148	905037	193	910845	211	949505					
149	905039	194	910851	212	949506					
150	905040	195	912700	213	949509					
151	905041	196	915459	214	949510					
152	905043	197	919369	215	949511					
153	905044	198	920075	216	949516					
154	905045	199	934482	217	413830	৩০১				
155	905046	200	936293							
156	905047	201	943458	BCPI						
157	905049	202	312149	218	314150	৩০১				
158	905050			219	314175					
159	905051			220	950904					
160	905053			221	950907					
161	905054									
162	905055	কক্ষ নং : ১৪০৭				Saic Poly				
163	905057				222	950581	কক্ষ নং : ৩০১			
164	905058				223	950582				
165	905059				224	950585				
166	905062				225	950590				
167	905063				226	950593				
168	905066				227	313983				
169	905067				BIT					
170	905069				228	950963	৩০১			
171	905070				229	950962				
172	905071			230	950964					
173	905072	কক্ষ নং : ১৪০৭			231	950966				
174	905073				SPI					
175	905074				232	950647	৩০১			
176	905075				233	950648				
177	905076				234	950649				
178	905078				235	950653				
179	905079				236	314012	৩০৫			
180	905080									


 নুরউদ্দিন কোহাম্মদ আলমগীর
 জুনি, পরীক্ষা নিয়ন্ত্রণ সেল
 বহুতা, পলিটেকনিক ইনস্টিটিউট, বরগুড়া

TTI						NIT			
নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং	
237	806378	কক্ষ নং : ৩০৫	276	311644	৩১২	313	949248	কক্ষ নং : ৩১০	
238	950031		277	311650	কক্ষ নং : ৩০৮	314	949251		
239	950040		278	311656		315	949254		
240	950043		279	311659		316	949255		
241	950044		280	311672		317	949257		
242	950048		281	311673		318	949262		
243	950049		282	311680		319	949263		
244	950053		283	311715		320	949264		
245	950054		284	311716		321	949265		
246	950056		285	311717		322	949266		
247	950058		286	311731		323	949267		
248	950060		287	311664	324	949268			
249	950062		288	806418	325	949269			
250	950064				326	949270			
251	950066				NIT		327		949272
252	950068	289	310619	328	949273				
253	950070	290	310623	329	949277				
254	950072	291	310628	330	949278				
255	950075	292	310654	331	949282				
256	950082	293	310655	332	949283				
257	950085	294	310657	333	949285				
258	950087	295	310663	334	949291				
259	950088	296	310666	335	949292				
260	950089	297	310668	336	949297				
261	950091	298	310674	337	949298	৩১৩			
262	950097	299	310677	338	207589				
263	950100	কক্ষ নং : ৩০৬	300	310684	কক্ষ নং : ৩০৯				
264	950101		301	310693					
265	950104		302	310695					
266	950109		303	310696					
267	950114		304	310708					
268	950115		305	949232					
269	950118		306	949234					
270	950121		307	949238					
271	950124		308	949239					
272	950125		309	949240		৩১০			
273	950127	310	949242						
274	311621	311	949243						
275	311639	312	949246						


 সিনিয়র সিস্টেম এনালিস্ট
 ডিসি, পল্লীশিক্ষা বিদ্যালয় সেকা
 নগর পল্লীশিক্ষা কেন্দ্র, নগর

BOGURA POLYTECHNIC INSTITUTE								
FINAL EXAM.		7th	SURVEY	TIME-10AM				
NIT								
নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং	নং	রোল নং	কক্ষ নং
1	289080	কক্ষ নং : ৩১৩						
2	289059							
3	289054							
4	845202							
5	845199							


 নূরউদ্দিন মোহাম্মদ আলমগীর
 ডিসি, পরীক্ষা নিয়ন্ত্রণ সেল
 বগুড়া পলিটেকনিক ইনস্টিটিউট, বগুড়া