

ROOM NO- 1102

**DATE 13/12/2023
02.00PM**

BASEAD ON DEPARTMENT	ROLL NUMBER		TOTAL
	FROM	TO	
2CT(RF)	714196	714387	38
2-ET(RF)	714390	714480	16
			54

BASEAD ON INSTITUTE	
BPI→2CT(RF)	38
BPI→2-ET(RF)	16
→	

ROOM CAPACITY-(6x9)=54

2CT(RF) 714196 BPI REFF	2CT(RF) 714336 BPI REFF	2CT(RF) 714295 BPI REFF	2-ET(RF) 714425 BPI REFF	2CT(RF) 714252 BPI REFF	2CT(RF) 714382 BPI REFF
2CT(RF) 714275 BPI REFF	2-ET(RF) 714396 BPI REFF	2CT(RF) 714223 BPI REFF	2CT(RF) 714358 BPI REFF	2CT(RF) 714321 BPI REFF	2-ET(RF) 714477 BPI REFF
2CT(RF) 714204 BPI REFF	2CT(RF) 714338 BPI REFF	2CT(RF) 714297 BPI REFF	2-ET(RF) 714429 BPI REFF	2CT(RF) 714254 BPI REFF	2CT(RF) 714387 BPI REFF
2CT(RF) 714277 BPI REFF	2-ET(RF) 714403 BPI REFF	2CT(RF) 714225 BPI REFF	2CT(RF) 714366 BPI REFF	2CT(RF) 714324 BPI REFF	2-ET(RF) 714478 BPI REFF
2CT(RF) 714205 BPI REFF	2CT(RF) 714348 BPI REFF	2CT(RF) 714299 BPI REFF	2-ET(RF) 714438 BPI REFF	2CT(RF) 714263 BPI REFF	2-ET(RF) 714390 BPI REFF
2CT(RF) 714280 BPI REFF	2-ET(RF) 714413 BPI REFF	2CT(RF) 714235 BPI REFF	2CT(RF) 714367 BPI REFF	2CT(RF) 714330 BPI REFF	2-ET(RF) 714479 BPI REFF
2CT(RF) 714206 BPI REFF	2CT(RF) 714350 BPI REFF	2CT(RF) 714304 BPI REFF	2-ET(RF) 714448 BPI REFF	2CT(RF) 714269 BPI REFF	2-ET(RF) 714392 BPI REFF
2CT(RF) 714290 BPI REFF	2-ET(RF) 714416 BPI REFF	2CT(RF) 714251 BPI REFF	2CT(RF) 714373 BPI REFF	2CT(RF) 714334 BPI REFF	2-ET(RF) 714480 BPI REFF
2CT(RF) 714221 BPI REFF	2CT(RF) 714352 BPI REFF	2CT(RF) 714320 BPI REFF	2-ET(RF) 714462 BPI REFF	2CT(RF) 714273 BPI REFF	2-ET(RF) 714394 BPI REFF

ROOM NO- **1302**

DATE **13/12/2023**
02.00PM

ROOM CAPACITY-(6x9)=54

BASEAD ON DEPARTMENT	ROLL NUMBER		TOTAL
	FROM	TO	
2-RAC(RF)	715430	715428	43
4-ET(RF)	615389	615466	2
4-MT(RF)	615775	615851	4
4-PT(RF)	616147	616147	1
4-ENT(RF)	615666	615737	4
			54

BASEAD ON INSTITUTE	
BPI→2-RAC(RF)	43
BPI→4-ET(RF)	2
BPI→4-MT(RF)	4
BPI→4-PT(RF)	1
BPI→4-ENT(RF)	4
→	

2-RAC(RF) 715430 BPI REFF	2-RAC(RF) 715366 BPI REFF	2-RAC(RF) 715339 BPI REFF	2-RAC(RF) 715413 BPI REFF	4-PT(RF) 616147 BPI REFF	2-RAC(RF) 715393 BPI REFF
2-RAC(RF) 715329 BPI REFF	2-RAC(RF) 715407 BPI REFF	4-MT(RF) 615775 BPI REFF	2-RAC(RF) 715383 BPI REFF	2-RAC(RF) 715353 BPI REFF	2-RAC(RF) 715423 BPI REFF
2-RAC(RF) 715431 BPI REFF	2-RAC(RF) 715373 BPI REFF	2-RAC(RF) 715342 BPI REFF	2-RAC(RF) 715414 BPI REFF	4-ENT(RF) 615666 BPI REFF	2-RAC(RF) 715394 BPI REFF
2-RAC(RF) 715334 BPI REFF	2-RAC(RF) 715408 BPI REFF	4-MT(RF) 615817 BPI REFF	2-RAC(RF) 715385 BPI REFF	2-RAC(RF) 715354 BPI REFF	2-RAC(RF) 715426 BPI REFF
2-RAC(RF) 616299 BPI REFF	2-RAC(RF) 715375 BPI REFF	2-RAC(RF) 715345 BPI REFF	2-RAC(RF) 715416 BPI REFF	4-ENT(RF) 615684 BPI REFF	2-RAC(RF) 715397 BPI REFF
2-RAC(RF) 715336 BPI REFF	2-RAC(RF) 715410 BPI REFF	4-MT(RF) 615848 BPI REFF	2-RAC(RF) 715387 BPI REFF	2-RAC(RF) 715355 BPI REFF	2-RAC(RF) 715424 BPI REFF
4-ET(RF) 615389 BPI REFF	2-RAC(RF) 715368 BPI REFF	2-RAC(RF) 715346 BPI REFF	2-RAC(RF) 715418 BPI REFF	4-ENT(RF) 615725 BPI REFF	2-RAC(RF) 715402 BPI REFF
2-RAC(RF) 715338 BPI REFF	2-RAC(RF) 715412 BPI REFF	4-MT(RF) 615851 BPI REFF	2-RAC(RF) 715388 BPI REFF	2-RAC(RF) 715356 BPI REFF	2-RAC(RF) 715428 BPI REFF
4-ET(RF) 615466 BPI REFF	2-RAC(RF) 715380 BPI REFF	2-RAC(RF) 715348 BPI REFF	2-RAC(RF) 715421 BPI REFF	4-ENT(RF) 615737 BPI REFF	2-RAC(RF) 715403 BPI REFF

ROOM NO- **1303**

DATE **13/12/2023**
02.00PM

ROOM CAPACITY-(6x7)=42

BASEAD ON DEPARTMENT	ROLL NUMBER		TOTAL
	FROM	TO	
4-RAC(RF)	616216	616265	4
1-ET-IR(RF)	714574	714650	4
1-ENT-IR(RF)	714780	714780	1
1-MT-IR(RF)	714926	714926	1
2-CST(RF)	515459	515459	1
2-RAC(RF)	616200	616220	3
2CT(RF)	716967	716564	6
2ET(RF)	716976		7
2CST(RF)	716995	716995	1
2CERA(RF)	716772	617044	9
2MT(RF)			5
			42

BASEAD ON INSTITUTE	
BPI→4-RAC(RF)	4
BPI→1-ET-IR(RF)	4
BPI→1-ENT-IR(RF)	1
BPI→1-MT-IR(RF)	1
BPI→2-CST(RF)	1
BPI→2-RAC(RF)	3
HMPI→2CT(RF)	1
HMPI→2ET(RF)	2
HMPI→2CST(RF)	1
TISI→2CERA(RF)	9
TISI→2MT(RF)	5
TISI→2ET(RF)	5
TISI→2CT(RF)	5
→	

4-RAC(RF) 616216 BPI REFF	2CERA(RF) 716793 TISI REFF	2CT(RF) 716967 HMPI REFF	2ET(RF) 716687 TISI REFF	1-ET-IR(RF) 714650 BPI REFF	2MT(RF) 716691 TISI REFF
2-RAC(RF) 616200 BPI REFF	2ET(RF) 716682 TISI REFF	1-ET-IR(RF) 714574 BPI REFF	2CERA(RF) 716812 TISI REFF	2CERA(RF) 716772 TISI REFF	2CT(RF) 716548 TISI REFF
4-RAC(RF) 616219 BPI REFF	2CERA(RF) 716804 TISI REFF	2ET(RF) 716976 HMPI REFF	2ET(RF) 616981 TISI REFF	1-ENT-IR(RF) 714780 BPI REFF	2MT(RF) 716692 TISI REFF
2-RAC(RF) 616215 BPI REFF	2ET(RF) 716684 TISI REFF	1-ET-IR(RF) 714581 BPI REFF	2CERA(RF) 617044 TISI REFF	2CERA(RF) 716788 TISI REFF	2CT(RF) 716551 TISI REFF
4-RAC(RF) 616247 BPI REFF	2CERA(RF) 716808 TISI REFF	2ET(RF) 716983 HMPI REFF	2CT(RF) 716520 TISI REFF	1-MT-IR(RF) 714926 BPI REFF	2MT(RF) 716696 TISI REFF
2-RAC(RF) 616220 BPI REFF	2ET(RF) 716686 TISI REFF	1-ET-IR(RF) 714597 BPI REFF	2MT(RF) 716688 TISI REFF	2CERA(RF) 716789 TISI REFF	2CT(RF) 716564 TISI REFF
4-RAC(RF) 616265 BPI REFF	2CERA(RF) 716810 TISI REFF	2CST(RF) 716995 HMPI REFF	2CT(RF) 716525 TISI REFF	2-CST(RF) 515459 BPI REFF	2MT(RF) 716697 TISI REFF

ROOM NO- **1306**

DATE **13/12/2023**
02.00PM

BASEAD ON DEPARTMENT	ROLL NUMBER		TOTAL
	FROM	TO	
2CT(RF)	716593	616930	3
2GD(RF)	716914	716941	8
2CST(RF)	716818	715978	21
2MT(RF)	716698	716749	6
2ET(RF)	716612	716663	4
			42

BASEAD ON INSTITUTE	
TISI→2CT(RF)	3
TISI→2GD(RF)	8
TISI→2CST(RF)	12
BITE→2CST(RF)	9
TISI→2MT(RF)	6
TISI→2ET(RF)	4
→	

ROOM CAPACITY-(6x7)=42

2CT(RF) 716593 TISI REF	2CST(RF) 716878 TISI REF	2CST(RF) 716861 TISI REF	2MT(RF) 716746 TISI REF	2GD(RF) 716928 TISI REF	2CST(RF) 715959 BITE REF
2CST(RF) 716818 TISI REF	2MT(RF) 716698 TISI REF	2GD(RF) 716916 TISI REF	2CST(RF) 715886 BITE REF	2CST(RF) 716873 TISI REF	2ET(RF) 716614 TISI REF
2CT(RF) 616914 TISI REF	2CST(RF) 716880 TISI REF	2CST(RF) 716863 TISI REF	2MT(RF) 716748 TISI REF	2GD(RF) 716931 TISI REF	2CST(RF) 715965 BITE REF
2CST(RF) 716823 TISI REF	2MT(RF) 716707 TISI REF	2GD(RF) 716917 TISI REF	2CST(RF) 715955 BITE REF	2CST(RF) 716875 TISI REF	2ET(RF) 716657 TISI REF
2CT(RF) 616930 TISI REF	2CST(RF) 715878 BITE REF	2CST(RF) 716864 TISI REF	2MT(RF) 716749 TISI REF	2GD(RF) 716940 TISI REF	2CST(RF) 715975 BITE REF
2CST(RF) 716841 TISI REF	2MT(RF) 716715 TISI REF	2GD(RF) 716925 TISI REF	2CST(RF) 715956 BITE REF	2CST(RF) 716876 TISI REF	2ET(RF) 716663 TISI REF
2GD(RF) 716914 TISI REF	2CST(RF) 715881 BITE REF	2CST(RF) 716868 TISI REF	2ET(RF) 716612 TISI REF	2GD(RF) 716941 TISI REF	2CST(RF) 715978 BITE REF

ROOM NO- 1401

**DATE 13/12/2023
02.00PM**

BASEAD ON DEPARTMENT	ROLL NUMBER		TOTAL
	FROM	TO	
6ENT	515865	515920	32
6RAC	112546	516680	12

BASEAD ON INSTITUTE	
BPI→6ENT	32
0→0	
BPI→6RAC	12
→	

ROOM CAPACITY-(6x8)=48

44

6ENT 515865 BPI Regular	6RAC 112546 BPI Regular	6ENT 515852 BPI Regular	6ENT 515907 BPI Regular	6ENT 515889 BPI Regular	6RAC 516674 BPI Regular
6ENT 185323 BPI Regular	6ENT 515894 BPI Regular	6ENT 515872 BPI Regular	6RAC 516658 BPI Regular	6ENT 515863 BPI Regular	6ENT 515914 BPI Regular
6ENT 515867 BPI Regular	6RAC 112559 BPI Regular	6ENT 515855 BPI Regular	6ENT 515910 BPI Regular	6ENT 515891 BPI Regular	6RAC 516677 BPI Regular
6ENT 413643 BPI Regular	6ENT 515903 BPI Regular	6ENT 515873 BPI Regular	6RAC 516659 BPI Regular	6ENT 515864 BPI Regular	6ENT 515915 BPI Regular
6ENT 515868 BPI Regular	6RAC 414173 BPI Regular	6ENT 515856 BPI Regular	6ENT 515911 BPI Regular	0 0 0 0	6RAC 516679 BPI Regular
6ENT 515848 BPI Regular	6ENT 515905 BPI Regular	6ENT 515877 BPI Regular	6RAC 516665 BPI Regular	0 0 0 0	6ENT 515917 BPI Regular
6ENT 515869 BPI Regular	6RAC 516656 BPI Regular	6ENT 515858 BPI Regular	6ENT 515913 BPI Regular	0 0 0 0	6RAC 516680 BPI Regular
6ENT 515849 BPI Regular	6ENT 515906 BPI Regular	6ENT 515885 BPI Regular	6RAC 516668 BPI Regular	0 0 0 0	6ENT 515920 BPI Regular

ROOM NO- 1407

**DATE 13/12/2023
02.00PM**

ROOM CAPACITY-(6x10)=60

BASEAD ON DEPARTMENT	ROLL NUMBER		TOTAL
	FROM	TO	
6ENT	490833	413728	45
			45

BASEAD ON INSTITUTE	
BPI→6ENT	45
0→0	
→	

6ENT 490833 BPI Regular	6ENT 515942 BPI Regular	6ENT 515935 BPI Regular	6ENT 516007 BPI Regular	0 0 0	6ENT 112251 BPI Regular
6ENT 515925 BPI Regular	6ENT 515995 BPI Regular	6ENT 515987 BPI Regular	6ENT 515965 BPI Regular	0 0 0	0 0 0
6ENT 515976 BPI Regular	6ENT 515950 BPI Regular	6ENT 515936 BPI Regular	6ENT 516008 BPI Regular	0 0 0	6ENT 112258 BPI Regular
6ENT 515926 BPI Regular	6ENT 515998 BPI Regular	6ENT 515988 BPI Regular	6ENT 515968 BPI Regular	0 0 0	0 0 0
6ENT 515977 BPI Regular	6ENT 515953 BPI Regular	6ENT 515937 BPI Regular	6ENT 516009 BPI Regular	0 0 0	6ENT 413689 BPI Regular
6ENT 515927 BPI Regular	6ENT 516001 BPI Regular	6ENT 515989 BPI Regular	6ENT 515969 BPI Regular	0 0 0	0 0 0
6ENT 515984 BPI Regular	6ENT 515956 BPI Regular	6ENT 515938 BPI Regular	6ENT 516010 BPI Regular	0 0 0	6ENT 413727 BPI Regular
6ENT 515929 BPI Regular	6ENT 516003 BPI Regular	6ENT 515990 BPI Regular	6ENT 515970 BPI Regular	0 0 0	0 0 0
6ENT 515986 BPI Regular	6ENT 515964 BPI Regular	6ENT 515939 BPI Regular	6ENT 516011 BPI Regular	0 0 0	6ENT 413728 BPI Regular
6ENT 515932 BPI Regular	6ENT 516005 BPI Regular	6ENT 515991 BPI Regular	6ENT 515972 BPI Regular	0 0 0	0 0 0

বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া
পর্ব সমাপনা পরিক্ষা-২০২৩

ROOM NO- 307
DATE 13/12/2023
02.00PM

BASEAD ON DEPARTMENT	ROLL NUMBER		TOTAL
	FROM	TO	
6MMST	516955	516976	8
6 T&H	517127	594135	5
0			0
6RAC	516873	516898	8
6ENT	514787	514827	5
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
			26

BASEAD ON INSTITUTE	
BPI→6MMST	8
BPI→6 T&H	5
0→0	0
BPI→6RAC	8
TMSS→6ENT	5
→	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0

ROOM CAPACITY-(4x8)=32

6MMST 516955 BPI Regular	6RAC 516873 BPI Regular	6 T&H 594135 BPI Regular	6ENT 514827 TMSS REGULER
6 T&H 517127 BPI Regular	6ENT 514787 TMSS REGULER	6MMST 516971 BPI Regular	6RAC 516887 BPI Regular
6MMST 516956 BPI Regular	6RAC 516874 BPI Regular	0 0 0 0	0 0 0 0
6 T&H 517128 BPI Regular	6ENT 514802 TMSS REGULER	6MMST 516972 BPI Regular	6RAC 516892 BPI Regular
6MMST 516960 BPI Regular	6RAC 516880 BPI Regular	0 0 0 0	0 0 0 0
6 T&H 517131 BPI Regular	6ENT 514809 TMSS REGULER	6MMST 516973 BPI Regular	6RAC 516895 BPI Regular
6MMST 516969 BPI Regular	6RAC 516881 BPI Regular	0 0 0 0	0 0 0 0
6 T&H 517133 BPI Regular	6ENT 514812 TMSS REGULER	6MMST 516976 BPI Regular	6RAC 516898 BPI Regular

