

বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া
পর্ব সমাপনী পরীক্ষা-২০২২

ROOM NO-

1103

DATE

16/7/2023

02:00PM

| BASEAD ON DEPARTMENT | ROLL NUMBER | | TOTAL |
|----------------------|-------------|--------|-------|
| | FROM | TO | |
| 5CT | 514977 | 514993 | 11 |
| 5MT | 516150 | 516163 | 10 |
| 5PT | 516534 | 516560 | 11 |
| 5- MMST | 516944 | 516973 | 10 |
| 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | 42 |

| BASEAD ON INSTITUTE | |
|---------------------|----|
| BPI→5CT | 11 |
| BPI→5MT | 10 |
| BPI→5PT | 11 |
| BPI→5- MMST | 10 |
| → | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |

ROOM CAPACITY-(6x7)=42

42

| | | | | | |
|---------------------------------|-------------------------------------|---------------------------------|-------------------------------------|---------------------------------|-------------------------------------|
| 5CT 514977 BPI REGULAR | 5PT 516534 BPI REGULAR | 5MT 516154 BPI REGULAR | 5- MMST 516955 BPI REGULAR | 5CT 514987 BPI REGULAR | 5PT 516553 BPI REGULAR |
| 5MT 516150 BPI REGULAR | 5- MMST 516944 BPI REGULAR | 5CT 514984 BPI REGULAR | 5PT 516545 BPI REGULAR | 5MT 516159 BPI REGULAR | 5- MMST 516971 BPI REGULAR |
| 5CT 514979 BPI REGULAR | 5PT 516540 BPI REGULAR | 5MT 516155 BPI REGULAR | 5- MMST 516956 BPI REGULAR | 5CT 514990 BPI REGULAR | 5PT 516554 BPI REGULAR |
| 5MT 516152 BPI REGULAR | 5- MMST 516947 BPI REGULAR | 5CT 514985 BPI REGULAR | 5PT 516548 BPI REGULAR | 5MT 516160 BPI REGULAR | 5- MMST 516972 BPI REGULAR |
| 5CT 514981 BPI REGULAR | 5PT 516541 BPI REGULAR | 5MT 516156 BPI REGULAR | 5- MMST 516960 BPI REGULAR | 5CT 514991 BPI REGULAR | 5PT 516555 BPI REGULAR |
| 5MT 516153 BPI REGULAR | 5- MMST 516948 BPI REGULAR | 5CT 514986 BPI REGULAR | 5PT 516551 BPI REGULAR | 5MT 516163 BPI REGULAR | 5- MMST 516973 BPI REGULAR |
| 5CT 514983 BPI REGULAR | 5PT 516543 BPI REGULAR | 5MT 516158 BPI REGULAR | 5- MMST 516969 BPI REGULAR | 5CT 514993 BPI REGULAR | 5PT 516560 BPI REGULAR |

ওসি, পরীক্ষা নিয়ন্ত্রন সেল
বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া

উপাধ্যক্ষ
বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া

অধ্যক্ষ
বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া

বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া
পর্ব সমাপনী পরীক্ষা-২০২২

ROOM NO- 1105

DATE 16/7/2023
02:00PM

ROOM CAPACITY-(6x8)=48

| BASEAD ON DEPARTMENT | ROLL NUMBER | | TOTAL |
|----------------------|-------------|--------|-------|
| | FROM | TO | |
| 5CT | 515011 | 515027 | 12 |
| 5MT | 516190 | 516218 | 12 |
| 5PT | 414088 | 516595 | 12 |
| 5- MMST | 517004 | 517035 | 2 |
| 5-TH | 0 | 0 | 10 |
| 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | 48 |

| BASEAD ON INSTITUTE | |
|---------------------|----|
| BPI→5CT | 12 |
| BPI→5MT | 12 |
| BPI→5PT | 12 |
| BPI→5- MMST | 2 |
| BPI→5-TH | 10 |
| → | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |

| | | | | | |
|---------------------------------|-------------------------------------|---------------------------------|----------------------------------|---------------------------------|----------------------------------|
| 5CT 515011 BPI REGULAR | 5PT 414088 BPI REGULAR | 5MT 516198 BPI REGULAR | 5-TH 517022 BPI REGULAR | 5CT 515024 BPI REGULAR | 5PT 516508 BPI REGULAR |
| 5MT 516190 BPI REGULAR | 5- MMST 517004 BPI REGULAR | 5CT 515018 BPI REGULAR | 5PT 516487 BPI REGULAR | 5MT 516209 BPI REGULAR | 5-TH 517014 BPI REGULAR |
| 5CT 515012 BPI REGULAR | 5PT 421689 BPI REGULAR | 5MT 516202 BPI REGULAR | 5-TH 517023 BPI REGULAR | 5CT 515025 BPI REGULAR | 5PT 516510 BPI REGULAR |
| 5MT 516194 BPI REGULAR | 5- MMST 517005 BPI REGULAR | 5CT 515019 BPI REGULAR | 5PT 516494 BPI REGULAR | 5MT 516213 BPI REGULAR | 5-TH 517031 BPI REGULAR |
| 5CT 515014 BPI REGULAR | 5PT 516476 BPI REGULAR | 5MT 516205 BPI REGULAR | 5-TH 517029 BPI REGULAR | 5CT 515026 BPI REGULAR | 5PT 516513 BPI REGULAR |
| 5MT 516195 BPI REGULAR | 5-TH 517015 BPI REGULAR | 5CT 515020 BPI REGULAR | 5PT 516498 BPI REGULAR | 5MT 516217 BPI REGULAR | 5-TH 517033 BPI REGULAR |
| 5CT 515015 BPI REGULAR | 5PT 516482 BPI REGULAR | 5MT 516207 BPI REGULAR | 5-TH 517030 BPI REGULAR | 5CT 515027 BPI REGULAR | 5PT 516595 BPI REGULAR |
| 5MT 516196 BPI REGULAR | 5-TH 517020 BPI REGULAR | 5CT 515021 BPI REGULAR | 5PT 516506 BPI REGULAR | 5MT 516218 BPI REGULAR | 5-TH 517035 BPI REGULAR |

ROOM NO-

1303

DATE

16/7/2023
02:00PM

ROOM CAPACITY-(6x7)=42

| BASEAD ON DEPARTMENT | ROLL NUMBER | | TOTAL |
|----------------------|-------------|--------|-----------|
| | FROM | TO | |
| 5CT | 515090 | 577510 | 14 |
| 5MT | 516308 | 413970 | 10 |
| 5RAC | 516665 | 516710 | 11 |
| 5-TH | 517131 | 0 | 5 |
| 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | | | |
| | | | |
| | | | |
| | | | 40 |

| BASEAD ON INSTITUTE | |
|---------------------|----|
| BPI→5CT | 11 |
| BPI→5MT | 10 |
| BPI→5RAC | 11 |
| BPI→5-TH | 5 |
| BITE 20207→5CT | 1 |
| MPI 20310→5CT | 2 |
| 0→0 | 0 |
| → | 0 |
| | 0 |
| | |
| | |
| | |

| | | | | | |
|---------------------------------|----------------------------------|---------------------------------|--|---------------------------------|---------------------------------------|
| 5CT 515090 BPI REGULAR | 5RAC 516665 BPI REGULAR | 5MT 516318 BPI REGULAR | 5-TH 517128 BPI REGULAR | 5CT 527118 BPI REGULAR | 5RAC 516682 BPI REGULAR |
| 5MT 516308 BPI REGULAR | 5-TH 517131 BPI REGULAR | 5CT 520566 BPI REGULAR | 5RAC 516677 BPI REGULAR | 5MT 413931 BPI REGULAR | 5CT 517982 MPI 20310 REGULAR |
| 5CT 515091 BPI REGULAR | 5RAC 516668 BPI REGULAR | 5MT 516322 BPI REGULAR | 5-TH 517133 BPI REGULAR | 5CT 543296 BPI REGULAR | 5RAC 516706 BPI REGULAR |
| 5MT 516310 BPI REGULAR | 5-TH 517125 BPI REGULAR | 5CT 524556 BPI REGULAR | 5RAC 516679 BPI REGULAR | 5MT 413966 BPI REGULAR | 0 0 0 0 |
| 5CT 518005 BPI REGULAR | 5RAC 516674 BPI REGULAR | 5MT 586018 BPI REGULAR | 5CT 113503 BITE 20207 REGULAR | 5CT 559196 BPI REGULAR | 5RAC 516707 BPI REGULAR |
| 5MT 516316 BPI REGULAR | 5-TH 517127 BPI REGULAR | 5CT 524639 BPI REGULAR | 5RAC 516680 BPI REGULAR | 5MT 413970 BPI REGULAR | 0 0 0 0 |
| 5CT 518041 BPI REGULAR | 5RAC 516675 BPI REGULAR | 5MT 411132 BPI REGULAR | 5CT 517979 MPI 20310 REGULAR | 5CT 577510 BPI REGULAR | 5RAC 516710 BPI REGULAR |

বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া
পর্ব সমাপনী পরীক্ষা-২০২২

ROOM NO-

1401

DATE

16/7/2023
02:00PM

ROOM CAPACITY-(6x8)=48

| BASEAD ON DEPARTMENT | ROLL NUMBER | | TOTAL |
|----------------------|-------------|--------|-------|
| | FROM | TO | |
| 5CT | 515111 | 515124 | 23 |
| 5MT | 516314 | 516349 | 12 |
| 5RAC | 516752 | 516773 | 12 |
| 0 | 517227 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | 47 |

| BASEAD ON INSTITUTE | |
|---------------------|----|
| BPI→5CT | 12 |
| BPI→5MT | 12 |
| BPI→5RAC | 12 |
| PRIVATE 20192→5CT | 11 |
| 0→0 | 0 |
| → | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |

| | | | | | |
|---------------------------------|---|---------------------------------|---|---------------------------------|---|
| 5CT 515111 BPI REGULAR | 5RAC 516752 BPI REGULAR | 5MT 516329 BPI REGULAR | 5CT 517234 PRIVATE 20192 REGULAR | 5CT 515121 BPI REGULAR | 5RAC 516767 BPI REGULAR |
| 5MT 516314 BPI REGULAR | 5CT 517227 PRIVATE 20192 REGULAR | 5CT 515117 BPI REGULAR | 5RAC 516762 BPI REGULAR | 5MT 516338 BPI REGULAR | 5CT 517246 PRIVATE 20192 REGULAR |
| 5CT 515112 BPI REGULAR | 5RAC 516755 BPI REGULAR | 5MT 516330 BPI REGULAR | 5CT 517242 PRIVATE 20192 REGULAR | 5CT 515122 BPI REGULAR | 5RAC 516769 BPI REGULAR |
| 5MT 516325 BPI REGULAR | 5CT 517228 PRIVATE 20192 REGULAR | 5CT 515118 BPI REGULAR | 5RAC 516763 BPI REGULAR | 5MT 516341 BPI REGULAR | 5CT 517247 PRIVATE 20192 REGULAR |
| 5CT 515113 BPI REGULAR | 5RAC 516757 BPI REGULAR | 5MT 516332 BPI REGULAR | 5CT 517243 PRIVATE 20192 REGULAR | 5CT 515123 BPI REGULAR | 5RAC 516771 BPI REGULAR |
| 5MT 516327 BPI REGULAR | 5CT 517229 PRIVATE 20192 REGULAR | 5CT 515119 BPI REGULAR | 5RAC 516764 BPI REGULAR | 5MT 516343 BPI REGULAR | 5CT 517248 PRIVATE 20192 REGULAR |
| 5CT 515115 BPI REGULAR | 5RAC 516761 BPI REGULAR | 5MT 516334 BPI REGULAR | 5CT 517244 PRIVATE 20192 REGULAR | 5CT 515124 BPI REGULAR | 5RAC 516773 BPI REGULAR |
| 5MT 516328 BPI REGULAR | 5CT 517231 PRIVATE 20192 REGULAR | 5CT 515120 BPI REGULAR | 5RAC 516765 BPI REGULAR | 5MT 516349 BPI REGULAR | 0 0 0 0 |

ROOM NO-

1408

DATE

16/7/2023
02:00PM

| BASEAD ON DEPARTMENT | ROLL NUMBER | | TOTAL |
|----------------------|-------------|--------|-------|
| | FROM | TO | |
| 5CT | 110792 | 513768 | 24 |
| 5MT | 517799 | 513914 | 10 |
| 5RAC | 514902 | 412523 | 8 |
| 0 | 514476 | 514481 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | | | |
| | | | |
| | | | 42 |

| BASEAD ON INSTITUTE | |
|---------------------|----|
| NIT 20093→5CT | 13 |
| tisi 20287→5MT | 6 |
| NIT 20093→5MT | 4 |
| TTI 20097→5RAC | 8 |
| TTI 20097→5CT | 11 |
| → | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

ROOM CAPACITY-(6x7)=42

| | | | | | |
|--|--|--|--|---------------------------------------|--|
| 5CT 110792 NIT 20093 REGULAR | 5RAC 514902 TTI 20097 REGULAR | 5MT 517803 tisi 20287 REGULAR | 5CT 514480 TTI 20097 REGULAR | 5CT 491067 NIT 20093 REGULAR | 5RAC 491109 TTI 20097 IRREGULAR |
| 5MT 517799 tisi 20287 REGULAR | 5CT 514476 TTI 20097 REGULAR | 5CT 411853 NIT 20093 REGULAR | 5RAC 514920 TTI 20097 REGULAR | 5MT 411987 NIT 20093 REGULAR | 5CT 514488 TTI 20097 REGULAR |
| 5CT 110808 NIT 20093 REGULAR | 5RAC 514904 TTI 20097 REGULAR | 5MT 517807 tisi 20287 REGULAR | 5CT 514481 TTI 20097 REGULAR | 5CT 513766 NIT 20093 REGULAR | 5CT 412517 TTI 20097 REGULAR |
| 5MT 517800 tisi 20287 REGULAR | 5CT 514478 TTI 20097 REGULAR | 5CT 411869 NIT 20093 REGULAR | 5RAC 514921 TTI 20097 REGULAR | 5MT 411993 NIT 20093 REGULAR | 5CT 949235 NIT 20093 REGULAR |
| 5CT 411827 NIT 20093 REGULAR | 5RAC 514906 TTI 20097 REGULAR | 5MT 517808 tisi 20287 REGULAR | 5CT 514482 TTI 20097 REGULAR | 5CT 513767 NIT 20093 REGULAR | 5CT 412520 TTI 20097 REGULAR |
| 5MT 517802 tisi 20287 REGULAR | 5CT 514479 TTI 20097 REGULAR | 5CT 411891 NIT 20093 REGULAR | 5RAC 177069 TTI 20097 IRREGULAR | 5MT 513914 NIT 20093 REGULAR | 5CT 949280 NIT 20093 REGULAR |
| 5CT 411839 NIT 20093 REGULAR | 5RAC 514917 TTI 20097 REGULAR | 5MT 110919 NIT 20093 REGULAR | 5CT 514483 TTI 20097 REGULAR | 5CT 513768 NIT 20093 REGULAR | 5CT 412523 TTI 20097 REGULAR |

বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া

পর্ব সমাপনী পরীক্ষা-২০২২

ROOM NO-

101

DATE

16/7/2023
02:00PM

| BASEAD ON DEPARTMENT | ROLL NUMBER | | TOTAL |
|----------------------|-------------|--------|-------|
| | FROM | TO | |
| 5CT | 513776 | 513787 | 32 |
| 5MT | 513915 | 111682 | 10 |
| 0 | 412524 | 514350 | 0 |
| | 949287 | 513956 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | 42 |

| BASEAD ON INSTITUTE | |
|---------------------|----|
| NIT 20093→5CT | 13 |
| NIT 20093→5MT | 9 |
| TTI 20097→5MT | 1 |
| TTI 20097→5CT | 11 |
| IIT 20094→5CT | 8 |
| 0→0 | 0 |
| → | 0 |
| | 0 |
| | 0 |
| | |
| | |
| | |

ROOM CAPACITY-(6x7)=42

| | | | | | |
|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| 5CT 513776 NIT 20093 REGULAR | 5CT 412524 TTI 20097 REGULAR | 5MT 513922 NIT 20093 REGULAR | 5CT 513945 IIT 20094 REGULAR | 5CT 513784 NIT 20093 REGULAR | 5CT 514343 TTI 20097 REGULAR |
| 5MT 513915 NIT 20093 REGULAR | 5CT 949281 NIT 20093 REGULAR | 5CT 513781 NIT 20093 REGULAR | 5CT 412538 TTI 20097 REGULAR | 5MT 513930 NIT 20093 REGULAR | 5CT 513950 IIT 20094 REGULAR |
| 5CT 513777 NIT 20093 REGULAR | 5CT 412525 TTI 20097 REGULAR | 5MT 513926 NIT 20093 REGULAR | 5CT 513946 IIT 20094 REGULAR | 5CT 513785 NIT 20093 REGULAR | 5CT 514345 TTI 20097 REGULAR |
| 5MT 513916 NIT 20093 REGULAR | 5CT 949287 NIT 20093 REGULAR | 5CT 513782 NIT 20093 REGULAR | 5CT 412557 TTI 20097 REGULAR | 5MT 513931 NIT 20093 REGULAR | 5CT 513954 IIT 20094 REGULAR |
| 5CT 513778 NIT 20093 REGULAR | 5CT 412526 TTI 20097 REGULAR | 5MT 513927 NIT 20093 REGULAR | 5CT 513947 IIT 20094 REGULAR | 5CT 513786 NIT 20093 REGULAR | 5CT 514347 TTI 20097 REGULAR |
| 5MT 513917 NIT 20093 REGULAR | 5CT 513943 IIT 20094 REGULAR | 5CT 513783 NIT 20093 REGULAR | 5CT 412559 TTI 20097 REGULAR | 5MT 111682 TTI 20097 REGULAR | 5CT 513956 IIT 20094 REGULAR |
| 5CT 513779 NIT 20093 REGULAR | 5CT 412527 TTI 20097 REGULAR | 5MT 513929 NIT 20093 REGULAR | 5CT 513949 IIT 20094 REGULAR | 5CT 513787 NIT 20093 REGULAR | 5CT 514350 TTI 20097 REGULAR |

ওসি, পরীক্ষা নিয়ন্ত্রন সেল

বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া

উপাধ্যক্ষ

বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া

অধ্যক্ষ

বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া

বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া

পর্ব সমাপনী পরীক্ষা-২০২২

ROOM NO- **104**

DATE **16/7/2023**
02:00PM

ROOM CAPACITY-(6x7)=42

| TECHNOLOGY | INSTITUTE | ROLL NUMBER | | TOTAL |
|------------|-----------|-------------|--------|-------|
| | | FROM | TO | |
| 5CT | NIT 20093 | 513788 | 513800 | 11 |
| 5MT | TTI 20097 | 514830 | 514849 | 10 |
| 5CT | TTI 20097 | 514353 | 514379 | 11 |
| 5CT | IIT 20094 | 513957 | 412513 | 10 |
| 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |
| | | | | 42 |

| | | | | | |
|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| 5CT 513788 NIT 20093 REGULAR | 5CT 514353 TTI 20097 REGULAR | 5MT 514835 TTI 20097 REGULAR | 5CT 491077 IIT 20094 REGULAR | 5CT 513796 NIT 20093 REGULAR | 5CT 514369 TTI 20097 REGULAR |
| 5MT 514830 TTI 20097 REGULAR | 5CT 513957 IIT 20094 REGULAR | 5CT 513792 NIT 20093 REGULAR | 5CT 514358 TTI 20097 REGULAR | 5MT 514845 TTI 20097 REGULAR | 5CT 412500 TTI 20097 REGULAR |
| 5CT 513789 NIT 20093 REGULAR | 5CT 514354 TTI 20097 REGULAR | 5MT 514836 TTI 20097 REGULAR | 5CT 412436 TTI 20097 REGULAR | 5CT 513797 NIT 20093 REGULAR | 5CT 514377 TTI 20097 REGULAR |
| 5MT 514832 TTI 20097 REGULAR | 5CT 412033 IIT 20094 REGULAR | 5CT 513793 NIT 20093 REGULAR | 5CT 514363 TTI 20097 REGULAR | 5MT 514846 TTI 20097 REGULAR | 5CT 412512 TTI 20097 REGULAR |
| 5CT 513790 NIT 20093 REGULAR | 5CT 514356 TTI 20097 REGULAR | 5MT 514839 TTI 20097 REGULAR | 5CT 412482 TTI 20097 REGULAR | 5CT 513798 NIT 20093 REGULAR | 5CT 514378 TTI 20097 REGULAR |
| 5MT 514833 TTI 20097 REGULAR | 5CT 412046 IIT 20094 REGULAR | 5CT 513795 NIT 20093 REGULAR | 5CT 514364 TTI 20097 REGULAR | 5MT 514849 TTI 20097 REGULAR | 5CT 412513 TTI 20097 REGULAR |
| 5CT 513791 NIT 20093 REGULAR | 5CT 514357 TTI 20097 REGULAR | 5MT 514842 TTI 20097 REGULAR | 5CT 412498 TTI 20097 REGULAR | 5CT 513800 NIT 20093 REGULAR | 5CT 514379 TTI 20097 REGULAR |

ওসি, পরীক্ষা নিয়ন্ত্রন সেল
বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া

উপাধ্যক্ষ
বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া

অধ্যক্ষ
বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া

ROOM NO-

105

DATE

16/7/2023
02:00PM

ROOM CAPACITY-(6x10)=60

| BASEAD ON DEPARTMENT | ROLL NUMBER | | TOTAL |
|----------------------|-------------|--------|-------|
| | FROM | TO | |
| 5CT | 513801 | 513823 | 45 |
| 5MT | 514856 | 0 | 13 |
| 0 | 514383 | 514421 | 0 |
| | 514444 | 514432 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | | | |
| | | | 58 |

| BASEAD ON INSTITUTE | |
|---------------------|----|
| NIT 20093→5CT | 15 |
| TTI 20097→5MT | 13 |
| 0→0 | 0 |
| TTI 20097→5CT | 30 |
| → | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | 0 |
| | |
| | |

| | | | | | |
|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| 5CT 513801 NIT 20093 REGULAR | 5CT 514444 TTI 20097 REGULAR | 5MT 514877 TTI 20097 REGULAR | 5CT 514394 TTI 20097 REGULAR | 5CT 513819 NIT 20093 REGULAR | 5CT 514472 TTI 20097 REGULAR |
| 5MT 514856 TTI 20097 REGULAR | 5CT 514383 TTI 20097 REGULAR | 5CT 513808 NIT 20093 REGULAR | 5CT 514460 TTI 20097 REGULAR | 5MT 514893 TTI 20097 REGULAR | 5CT 514414 TTI 20097 REGULAR |
| 5CT 513803 NIT 20093 REGULAR | 5CT 514449 TTI 20097 REGULAR | 5MT 514879 TTI 20097 REGULAR | 5CT 514395 TTI 20097 REGULAR | 5CT 513820 NIT 20093 REGULAR | 5CT 514424 TTI 20097 REGULAR |
| 5MT 514858 TTI 20097 REGULAR | 5CT 514384 TTI 20097 REGULAR | 5CT 513809 NIT 20093 REGULAR | 5CT 514465 TTI 20097 REGULAR | 5MT 513379 TTI 20097 REGULAR | 5CT 514416 TTI 20097 REGULAR |
| 5CT 513805 NIT 20093 REGULAR | 5CT 514456 TTI 20097 REGULAR | 5MT 514880 TTI 20097 REGULAR | 5CT 514396 TTI 20097 REGULAR | 5CT 513821 NIT 20093 REGULAR | 5CT 514430 TTI 20097 REGULAR |
| 5MT 514864 TTI 20097 REGULAR | 5CT 514389 TTI 20097 REGULAR | 5CT 513815 NIT 20093 REGULAR | 5CT 514468 TTI 20097 REGULAR | 5MT 513382 TTI 20097 REGULAR | 5CT 514417 TTI 20097 REGULAR |
| 5CT 513806 NIT 20093 REGULAR | 5CT 514457 TTI 20097 REGULAR | 5MT 514885 TTI 20097 REGULAR | 5CT 514400 TTI 20097 REGULAR | 5CT 513822 NIT 20093 REGULAR | 5CT 514431 TTI 20097 REGULAR |
| 5MT 514866 TTI 20097 REGULAR | 5CT 514390 TTI 20097 REGULAR | 5CT 513817 NIT 20093 REGULAR | 5CT 514470 TTI 20097 REGULAR | 0 0 0 0 | 5CT 514418 TTI 20097 REGULAR |
| 5CT 513807 NIT 20093 REGULAR | 5CT 514459 TTI 20097 REGULAR | 5MT 514891 TTI 20097 REGULAR | 5CT 514401 TTI 20097 REGULAR | 5CT 513823 NIT 20093 REGULAR | 5CT 514432 TTI 20097 REGULAR |
| 5MT 514871 TTI 20097 REGULAR | 5CT 514392 TTI 20097 REGULAR | 5CT 513818 NIT 20093 REGULAR | 5CT 514471 TTI 20097 REGULAR | 0 0 0 0 | 5CT 514421 TTI 20097 REGULAR |

ROOM NO-

S.lab

DATE

16/7/2023
02:00PM

ROOM CAPACITY-(6x9)=54

| BASEAD ON DEPARTMENT | ROLL NUMBER | | TOTAL |
|----------------------|-------------|--------|-------|
| | FROM | TO | |
| 2ET-(RF) | 616981 | 415591 | 5 |
| 3ET-(RF) | 415589 | 412428 | 2 |
| 7CT-(RF) | 412451 | 415191 | 34 |
| 7MT | 413763 | 0 | 3 |
| ALIED | 0 | 0 | 2 |
| 7CT | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 0 |
| | 0 | 0 | 47 |

| BASEAD ON INSTITUTE | |
|---------------------|---|
| TISI→2ET-(RF) | 1 |
| NIT→2ET-(RF) | 2 |
| TTI→2ET-(RF) | 1 |
| 0→2ET-(RF) | 1 |
| TISI→3ET-(RF) | 1 |
| BITE→3ET-(RF) | 1 |
| BPI→7CT-(RF) | 6 |
| TISI→7CT-(RF) | 6 |
| NIT→7CT-(RF) | 0 |
| | 0 |

| | | | | | |
|------------------------------------|-----------------------------------|------------------------------------|-----------------------------------|------------------------------------|-----------------------------------|
| 2ET-(RF) 616981 TISI REFF | 7CT-(RF) 412451 TTI REFF | 7CT-(RF) 415561 TISI REFF | 7MT 412886 TTI REFF | 7CT-(RF) 413032 BPI REFF | 7CT-(RF) 950123 TTI REFF |
| 7CT-(RF) 415589 TISI REFF | 7MT 413763 BPI REFF | 3ET-(RF) 616978 TISI REFF | 7CT-(RF) 412504 TTI REFF | 7CT-(RF) 411894 NIT REFF | 0 0 0 0 |
| 2ET-(RF) 614202 NIT REFF | 7CT-(RF) 412455 TTI REFF | 7CT-(RF) 411857 NIT REFF | 7CT 415287 BITE REFF | 7CT-(RF) 413033 BPI REFF | 7CT-(RF) 111364 TTI REFF |
| 7CT-(RF) 415588 TISI REFF | 7MT 491134 BPI REFF | 3ET-(RF) 616637 BITE REFF | 7CT-(RF) 412564 TTI REFF | 7CT-(RF) 110941 IIT REFF | 0 0 0 0 |
| 2ET-(RF) 614201 NIT REFF | 7CT-(RF) 412458 TTI REFF | 7CT-(RF) 411866 NIT REFF | 0 0 0 0 | 7CT-(RF) 904933 BPI REFF | 7CT-(RF) 111444 TTI REFF |
| 7CT-(RF) 415579 TISI REFF | ALIED 597638 MT REFF | 7CT-(RF) 164391 BPI REFF | 7CT-(RF) 311668 TTI REFF | 7CT-(RF) 111407 TTI REFF | 0 0 0 0 |
| 2ET-(RF) 614805 TTI REFF | 7CT-(RF) 412460 TTI REFF | 7CT-(RF) 411878 NIT REFF | 0 0 0 0 | 7CT-(RF) 905060 BPI REFF | 7CT-(RF) 950584 RPI REFF |
| 7CT-(RF) 415565 TISI REFF | ALIED 598506 MT REFF | 7CT-(RF) 413021 BPI REFF | 7CT-(RF) 950122 TTI REFF | 7CT-(RF) 412428 TTI REFF | 0 0 0 0 |
| 2ET-(RF) 616532 0 REFF | 7CT-(RF) 412464 TTI REFF | 7CT-(RF) 411888 NIT REFF | 0 0 0 0 | 7CT-(RF) 415591 TISI REFF | 7CT-(RF) 415191 RPI REFF |