

ROOM NO- **1102**

DATE **19/12/2023**  
**10:00AM**

ROOM CAPACITY-(6x9)=54

| BASEAD ON DEPARTMENT | ROLL NUMBER |        | TOTAL |
|----------------------|-------------|--------|-------|
|                      | FROM        | TO     |       |
| 4CT                  | 615107      | 615130 | 36    |
| 4PT                  | 189594      | 616101 | 13    |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        | 49    |

| BASEAD ON INSTITUTE |    |
|---------------------|----|
| BPI→4CT             | 23 |
| 0→0                 |    |
| TMSS→4CT            | 13 |
| BPI→4PT             | 13 |
| →                   |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |

|                                  |                                 |                                  |                                 |                                  |                                 |
|----------------------------------|---------------------------------|----------------------------------|---------------------------------|----------------------------------|---------------------------------|
| 4CT<br>615107<br>BPI<br>Regular  | 4CT<br>615121<br>BPI<br>Regular | 4CT<br>614679<br>TMSS<br>REGULER | 4PT<br>616086<br>BPI<br>Regular | 4CT<br>615117<br>BPI<br>Regular  | 4CT<br>615130<br>BPI<br>Regular |
| 4CT<br>614669<br>TMSS<br>REGULER | 4PT<br>189594<br>BPI<br>Regular | 4CT<br>615113<br>BPI<br>Regular  | 4CT<br>615126<br>BPI<br>Regular | 4CT<br>614695<br>TMSS<br>REGULER | 4PT<br>616095<br>BPI<br>Regular |
| 4CT<br>615108<br>BPI<br>Regular  | 4CT<br>615122<br>BPI<br>Regular | 4CT<br>614682<br>TMSS<br>REGULER | 4PT<br>616089<br>BPI<br>Regular | 4CT<br>615118<br>BPI<br>Regular  | 0<br>0<br>0<br>0                |
| 4CT<br>614671<br>TMSS<br>REGULER | 4PT<br>189595<br>BPI<br>Regular | 4CT<br>615114<br>BPI<br>Regular  | 4CT<br>615127<br>BPI<br>Regular | 4CT<br>614696<br>TMSS<br>REGULER | 4PT<br>616097<br>BPI<br>Regular |
| 4CT<br>615109<br>BPI<br>Regular  | 4CT<br>615123<br>BPI<br>Regular | 4CT<br>614686<br>TMSS<br>REGULER | 4PT<br>616090<br>BPI<br>Regular | 4CT<br>615119<br>BPI<br>Regular  | 0<br>0<br>0<br>0                |
| 4CT<br>614673<br>TMSS<br>REGULER | 4PT<br>189688<br>BPI<br>Regular | 4CT<br>615115<br>BPI<br>Regular  | 4CT<br>615128<br>BPI<br>Regular | 4CT<br>614703<br>TMSS<br>REGULER | 4PT<br>616098<br>BPI<br>Regular |
| 4CT<br>615110<br>BPI<br>Regular  | 4CT<br>615124<br>BPI<br>Regular | 4CT<br>614689<br>TMSS<br>REGULER | 4PT<br>616091<br>BPI<br>Regular | 4CT<br>615120<br>BPI<br>Regular  | 0<br>0<br>0<br>0                |
| 4CT<br>614675<br>TMSS<br>REGULER | 4PT<br>616085<br>BPI<br>Regular | 4CT<br>615116<br>BPI<br>Regular  | 4CT<br>615129<br>BPI<br>Regular | 4CT<br>614705<br>TMSS<br>REGULER | 4PT<br>616101<br>BPI<br>Regular |
| 4CT<br>615111<br>BPI<br>Regular  | 4CT<br>615125<br>BPI<br>Regular | 4CT<br>614694<br>TMSS<br>REGULER | 4PT<br>616094<br>BPI<br>Regular | 0<br>0<br>0<br>0                 | 0<br>0<br>0<br>0                |

**ROOM NO-**

**1103**

**DATE**

**19/12/2023  
10:00AM**

| BASEAD ON<br>DEPARTMENT | ROLL NUMBER |        | TOTAL |
|-------------------------|-------------|--------|-------|
|                         | FROM        | TO     |       |
| 4CT                     | 615133      | 615159 | 30    |
| 4PT                     | 616102      | 616120 | 10    |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        | 40    |

| BASEAD ON INSTITUTE |    |
|---------------------|----|
| BPI→4CT             | 20 |
| 0→0                 |    |
| TMSS→4CT            | 10 |
| BPI→4PT             | 10 |
| →                   |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |

**ROOM CAPACITY-(6x7)=42**

40

|                                  |                                 |                                  |                                 |                                  |                                 |
|----------------------------------|---------------------------------|----------------------------------|---------------------------------|----------------------------------|---------------------------------|
| 4CT<br>615133<br>BPI<br>Regular  | 4CT<br>615148<br>BPI<br>Regular | 4CT<br>614714<br>TMSS<br>REGULER | 4PT<br>616106<br>BPI<br>Regular | 4CT<br>615144<br>BPI<br>Regular  | 4CT<br>615157<br>BPI<br>Regular |
| 4CT<br>614706<br>TMSS<br>REGULER | 4PT<br>616102<br>BPI<br>Regular | 4CT<br>615137<br>BPI<br>Regular  | 4CT<br>615153<br>BPI<br>Regular | 4CT<br>614720<br>TMSS<br>REGULER | 4PT<br>616114<br>BPI<br>Regular |
| 4CT<br>615134<br>BPI<br>Regular  | 4CT<br>615149<br>BPI<br>Regular | 4CT<br>614715<br>TMSS<br>REGULER | 4PT<br>616109<br>BPI<br>Regular | 4CT<br>615145<br>BPI<br>Regular  | 4CT<br>615158<br>BPI<br>Regular |
| 4CT<br>614710<br>TMSS<br>REGULER | 4PT<br>616103<br>BPI<br>Regular | 4CT<br>615138<br>BPI<br>Regular  | 4CT<br>615155<br>BPI<br>Regular | 4CT<br>614721<br>TMSS<br>REGULER | 4PT<br>616119<br>BPI<br>Regular |
| 4CT<br>615135<br>BPI<br>Regular  | 4CT<br>615150<br>BPI<br>Regular | 4CT<br>614717<br>TMSS<br>REGULER | 4PT<br>616110<br>BPI<br>Regular | 4CT<br>615147<br>BPI<br>Regular  | 4CT<br>615159<br>BPI<br>Regular |
| 4CT<br>614713<br>TMSS<br>REGULER | 4PT<br>616104<br>BPI<br>Regular | 4CT<br>615139<br>BPI<br>Regular  | 4CT<br>615156<br>BPI<br>Regular | 4CT<br>614723<br>TMSS<br>REGULER | 4PT<br>616120<br>BPI<br>Regular |
| 4CT<br>615136<br>BPI<br>Regular  | 4CT<br>615151<br>BPI<br>Regular | 4CT<br>614719<br>TMSS<br>REGULER | 4PT<br>616112<br>BPI<br>Regular | 0<br>0<br>0<br>0                 | 0<br>0<br>0<br>0                |





**ROOM NO-** 1106

**DATE** 19/12/2023  
**10:00AM**

ROOM CAPACITY-(6x7)=42

| BASEAD ON DEPARTMENT | ROLL NUMBER |        | TOTAL |
|----------------------|-------------|--------|-------|
|                      | FROM        | TO     |       |
| 4CT                  | 614639      | 177334 | 20    |
| 4CST                 | 616313      | 616322 | 10    |
| 4PT                  | 616162      | 616175 | 10    |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        | 40    |

| BASEAD ON INSTITUTE |    |
|---------------------|----|
| TMSS→4CT            | 13 |
| 0→0                 |    |
| IBIT→4CT            | 6  |
| GTO→4CT             | 1  |
| BPI→4CST            | 10 |
| BPI→4PT             | 10 |
| →                   |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |

|                                    |                                  |                                    |                                  |                                   |                                  |
|------------------------------------|----------------------------------|------------------------------------|----------------------------------|-----------------------------------|----------------------------------|
| 4CT<br>614639<br>TMSS<br>REGULER   | 4CST<br>616313<br>BPI<br>Regular | 4CT<br>412047<br>IBIT<br>REGULER   | 4PT<br>616166<br>BPI<br>Regular  | 4CT<br>614655<br>TMSS<br>REGULER  | 4CST<br>616320<br>BPI<br>Regular |
| 4CT<br>690330<br>TMSS<br>REGULER   | 4PT<br>616162<br>BPI<br>Regular  | 4CT<br>614649<br>TMSS<br>REGULER   | 4CST<br>616317<br>BPI<br>Regular | 4CT<br>614314<br>IBIT<br>REGULER  | 4PT<br>616171<br>BPI<br>Regular  |
| 4CT<br>614643<br>TMSS<br>REGULER   | 4CST<br>616314<br>BPI<br>Regular | 4CT<br>513944<br>IBIT<br>REGULER   | 4PT<br>616167<br>BPI<br>Regular  | 4CT<br>614663<br>TMSS<br>REGULER  | 4CST<br>616321<br>BPI<br>Regular |
| 4CT<br>690333<br>TMSS<br>REGULER   | 4PT<br>616163<br>BPI<br>Regular  | 4CT<br>614650<br>TMSS<br>REGULER   | 4CST<br>616318<br>BPI<br>Regular | 4CT<br>614315<br>IBIT<br>REGULER  | 4PT<br>616174<br>BPI<br>Regular  |
| 4CT<br>614645<br>TMSS<br>REGULER   | 4CST<br>616315<br>BPI<br>Regular | 4CT<br>513953<br>IBIT<br>IRREGULER | 4PT<br>616168<br>BPI<br>Regular  | 4CT<br>614667<br>TMSS<br>REGULER  | 4CST<br>616322<br>BPI<br>Regular |
| 4CT<br>111419<br>TMSS<br>IRREGULER | 4PT<br>616165<br>BPI<br>Regular  | 4CT<br>614652<br>TMSS<br>REGULER   | 4CST<br>616319<br>BPI<br>Regular | 4CT<br>177334<br>GTO<br>IRREGULER | 4PT<br>616175<br>BPI<br>Regular  |
| 4CT<br>614647<br>TMSS<br>REGULER   | 4CST<br>616316<br>BPI<br>Regular | 4CT<br>614309<br>IBIT<br>REGULER   | 4PT<br>616169<br>BPI<br>Regular  | 0<br>0<br>0<br>0                  | 0<br>0<br>0<br>0                 |

ROOM NO-

1107

DATE

19/12/2023

10:00AM

| BASEAD ON DEPARTMENT | ROLL NUMBER |        | TOTAL |
|----------------------|-------------|--------|-------|
|                      | FROM        | TO     |       |
| 4RAC                 | 616271      | 614955 | 11    |
| 4CT                  | 188251      | 615105 | 13    |
| 4CST                 | 615023      | 517348 | 12    |
| 4PT                  | 616176      | 616150 | 13    |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        |       |
|                      |             |        | 49    |

| BASEAD ON INSTITUTE |    |
|---------------------|----|
| BPI→4RAC            | 9  |
| 0→0                 |    |
| BPI→4CT             | 13 |
| TMSS→4CST           | 8  |
| IBIT→4CST           | 3  |
| TMSS→4RAC           | 2  |
| GTO→4CST            | 1  |
| BPI→4PT             | 13 |
| →                   |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |

ROOM CAPACITY-(6x9)=54

49

|                                  |                                   |                                  |                                   |                                 |                                    |
|----------------------------------|-----------------------------------|----------------------------------|-----------------------------------|---------------------------------|------------------------------------|
| 4RAC<br>616271<br>BPI<br>Regular | 4CST<br>615023<br>TMSS<br>REGULER | 4CT<br>601770<br>BPI<br>Regular  | 4PT<br>616182<br>BPI<br>Regular   | 0<br>0<br>0<br>0                | 4RAC<br>614947<br>TMSS<br>REGULER  |
| 4CT<br>188251<br>BPI<br>Regular  | 4PT<br>616176<br>BPI<br>Regular   | 4RAC<br>616290<br>BPI<br>Regular | 4CST<br>615055<br>TMSS<br>REGULER | 4CT<br>615099<br>BPI<br>Regular | 4PT<br>616187<br>BPI<br>Regular    |
| 4RAC<br>616274<br>BPI<br>Regular | 4CST<br>615030<br>TMSS<br>REGULER | 4CT<br>615094<br>BPI<br>Regular  | 4PT<br>616183<br>BPI<br>Regular   | 0<br>0<br>0<br>0                | 4RAC<br>614955<br>TMSS<br>REGULER  |
| 4CT<br>188252<br>BPI<br>Regular  | 4PT<br>616177<br>BPI<br>Regular   | 4RAC<br>616296<br>BPI<br>Regular | 4CST<br>615061<br>TMSS<br>REGULER | 4CT<br>615101<br>BPI<br>Regular | 4PT<br>516502<br>BPI<br>Regular    |
| 4RAC<br>616280<br>BPI<br>Regular | 4CST<br>615033<br>TMSS<br>REGULER | 4CT<br>615095<br>BPI<br>Regular  | 4PT<br>616184<br>BPI<br>Regular   | 0<br>0<br>0<br>0                | 4CST<br>614332<br>IBIT<br>REGULER  |
| 4CT<br>188253<br>BPI<br>Regular  | 4PT<br>616178<br>BPI<br>Regular   | 4RAC<br>623225<br>BPI<br>Regular | 4CST<br>615062<br>TMSS<br>REGULER | 4CT<br>615104<br>BPI<br>Regular | 4PT<br>616159<br>BPI<br>Regular    |
| 4RAC<br>616284<br>BPI<br>Regular | 4CST<br>615044<br>TMSS<br>REGULER | 4CT<br>615096<br>BPI<br>Regular  | 4PT<br>616185<br>BPI<br>Regular   | 0<br>0<br>0<br>0                | 4CST<br>513967<br>IBIT<br>REGULER  |
| 4CT<br>188254<br>BPI<br>Regular  | 4PT<br>616180<br>BPI<br>Regular   | 4RAC<br>640211<br>BPI<br>Regular | 4CST<br>614330<br>IBIT<br>REGULER | 4CT<br>615105<br>BPI<br>Regular | 4PT<br>616150<br>BPI<br>Regular    |
| 4RAC<br>616288<br>BPI<br>Regular | 4CST<br>615053<br>TMSS<br>REGULER | 4CT<br>615097<br>BPI<br>Regular  | 4PT<br>616186<br>BPI<br>Regular   | 0<br>0<br>0<br>0                | 4CST<br>517348<br>GTO<br>IRREGULER |



বগুড়া পাল্টেকানক হুশাটাটটট, বগুড়া  
পর্ব সমাপনা পরিক্ষা-২০২৩

**ROOM NO-**

**201**

**DATE**

**19/12/2023  
10:00AM**

ROOM CAPACITY-(6x7)=42

| BASEAD ON<br>DEPARTMENT | ROLL NUMBER |        | TOTAL |
|-------------------------|-------------|--------|-------|
|                         | FROM        | TO     |       |
| 4CST                    | 617668      | 616373 | 20    |
| 4CT                     | 615224      | 615220 | 20    |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |
|                         |             |        |       |

| BASEAD ON INSTITUTE |    |
|---------------------|----|
| BPI→4CST            | 20 |
| 0→0                 |    |
| BPI→4CT             | 20 |
| →                   |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |
|                     |    |

**40**

|                                  |                                  |                                  |                                  |                                  |                                  |
|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| 4CST<br>617668<br>BPI<br>Regular | 4CT<br>615208<br>BPI<br>Regular  | 4CT<br>615229<br>BPI<br>Regular  | 4CST<br>616366<br>BPI<br>Regular | 4CST<br>616360<br>BPI<br>Regular | 4CT<br>615218<br>BPI<br>Regular  |
| 4CT<br>615224<br>BPI<br>Regular  | 4CST<br>616363<br>BPI<br>Regular | 4CST<br>515450<br>BPI<br>Regular | 4CT<br>615213<br>BPI<br>Regular  | 4CT<br>615235<br>BPI<br>Regular  | 4CST<br>616371<br>BPI<br>Regular |
| 4CST<br>625682<br>BPI<br>Regular | 4CT<br>615210<br>BPI<br>Regular  | 4CT<br>615231<br>BPI<br>Regular  | 4CST<br>616367<br>BPI<br>Regular | 4CST<br>616361<br>BPI<br>Regular | 4CT<br>615219<br>BPI<br>Regular  |
| 4CT<br>615227<br>BPI<br>Regular  | 4CST<br>616364<br>BPI<br>Regular | 4CST<br>602888<br>BPI<br>Regular | 4CT<br>615215<br>BPI<br>Regular  | 4CT<br>615236<br>BPI<br>Regular  | 4CST<br>616372<br>BPI<br>Regular |
| 4CST<br>640314<br>BPI<br>Regular | 4CT<br>615211<br>BPI<br>Regular  | 4CT<br>615232<br>BPI<br>Regular  | 4CST<br>616369<br>BPI<br>Regular | 4CST<br>616362<br>BPI<br>Regular | 4CT<br>615220<br>BPI<br>Regular  |
| 4CT<br>615228<br>BPI<br>Regular  | 4CST<br>616365<br>BPI<br>Regular | 4CST<br>616358<br>BPI<br>Regular | 4CT<br>615217<br>BPI<br>Regular  | 4CT<br>615237<br>BPI<br>Regular  | 4CST<br>616373<br>BPI<br>Regular |
| 4CST<br>676815<br>BPI<br>Regular | 4CT<br>615212<br>BPI<br>Regular  | 4CT<br>615233<br>BPI<br>Regular  | 4CST<br>616370<br>BPI<br>Regular | 0<br>0<br>0<br>0                 | 0<br>0<br>0<br>0                 |



**ROOM NO-**

**301**

**DATE**

**19/12/2023  
10:00AM**

| BASEAD ON DEPARTMENT | ROLL NUMBER |        | TOTAL |
|----------------------|-------------|--------|-------|
|                      | FROM        | TO     |       |
| 4CST                 | 616374      | 616400 | 19    |
| 4CT                  | 615249      | 615248 | 24    |

| BASEAD ON INSTITUTE |    |
|---------------------|----|
| BPI→4CST            | 19 |
| 0→0                 |    |
| BPI→4CT             | 24 |
| →                   |    |

**ROOM CAPACITY-(5x11)=55**

**43**

|                                  |                                  |                                  |                                  |                                 |   |
|----------------------------------|----------------------------------|----------------------------------|----------------------------------|---------------------------------|---|
| 4CST<br>616374<br>BPI<br>Regular | 4CT<br>615238<br>BPI<br>Regular  | 4CT<br>615256<br>BPI<br>Regular  | 4CST<br>616394<br>BPI<br>Regular | 0<br>0<br>0<br>0                | X |
| 4CT<br>615249<br>BPI<br>Regular  | 4CST<br>616385<br>BPI<br>Regular | 4CST<br>616381<br>BPI<br>Regular | 4CT<br>615247<br>BPI<br>Regular  | 4CT<br>615262<br>BPI<br>Regular | X |
| 4CST<br>616375<br>BPI<br>Regular | 4CT<br>615240<br>BPI<br>Regular  | 4CT<br>615257<br>BPI<br>Regular  | 4CST<br>616395<br>BPI<br>Regular | 0<br>0<br>0<br>0                | X |
| 4CT<br>615250<br>BPI<br>Regular  | 4CST<br>616386<br>BPI<br>Regular | 4CST<br>616382<br>BPI<br>Regular | 4CT<br>615248<br>BPI<br>Regular  | 4CT<br>615263<br>BPI<br>Regular | X |
| 4CST<br>616376<br>BPI<br>Regular | 4CT<br>615242<br>BPI<br>Regular  | 4CT<br>615258<br>BPI<br>Regular  | 4CST<br>616396<br>BPI<br>Regular | 0<br>0<br>0<br>0                | X |
| 4CT<br>615251<br>BPI<br>Regular  | 4CST<br>616387<br>BPI<br>Regular | 0<br>0<br>0<br>0                 | 0<br>0<br>0<br>0                 | 4CT<br>615264<br>BPI<br>Regular | X |
| 4CST<br>616377<br>BPI<br>Regular | 4CT<br>615244<br>BPI<br>Regular  | 4CT<br>615259<br>BPI<br>Regular  | 4CST<br>616398<br>BPI<br>Regular | 0<br>0<br>0<br>0                | X |
| 4CT<br>615253<br>BPI<br>Regular  | 4CST<br>616388<br>BPI<br>Regular | 0<br>0<br>0<br>0                 | 0<br>0<br>0<br>0                 | 4CT<br>615266<br>BPI<br>Regular | X |
| 4CST<br>616378<br>BPI<br>Regular | 4CT<br>615245<br>BPI<br>Regular  | 4CT<br>615260<br>BPI<br>Regular  | 4CST<br>616399<br>BPI<br>Regular | 0<br>0<br>0<br>0                | X |
| 4CT<br>615255<br>BPI<br>Regular  | 4CST<br>616392<br>BPI<br>Regular | 0<br>0<br>0<br>0                 | 0<br>0<br>0<br>0                 | 4CT<br>615267<br>BPI<br>Regular | X |
| 4CST<br>616380<br>BPI<br>Regular | 4CT<br>615246<br>BPI<br>Regular  | 4CT<br>615261<br>BPI<br>Regular  | 4CST<br>616400<br>BPI<br>Regular | 0<br>0<br>0<br>0                | X |









