

BOGURA POLYTECHNIC INSTITUTE.							
Time 2:00				01/12/2021			
5CMT-66642	ROOM		5ET-66845	ROOM			
1	111920	305	1	112145	310		
2	102711		2	112147			
3	111971		3	112150			
4	209528		4	112152			
5	312294		5	112154			
6	905142		6	112155			
7	905141		7	112158			
8	111953		8	112161			
9	113791		9	112165			
				10		112168	
7CMT-66642			11	112171			
10	905162	305	12	114550			
			13	182409			
5ENT-66845	ROOM		14	182645			
1	177119	201	15	112029	310		
2	177123		16	178234			
3	905431		17	178275			
4	105189		18	905284			
5	106076		19	372873			
6	112225		20	413470			
7	112226		21	313477			
8	112230		22	313481			
9	112233		23	905222			
10	112237		24	905223			
11	112238		25	104744			
12	112240		26	905218			
13	112242		27	112105			
14	112243		28	112115			
15	112246		29	112123			
16	112247		30	112134			
17	112252		31	172766			
18	112257		32	172776			
19	112260		33	177111			
20	112261		34	312490			
21	112268		35	905359			
22	112831		36	904691			
23	180897						
24	905457			7ET-66845		ROOM	
25	105195			37		312394	310
26	902401			38		312441	
			39	315687			
	5PT-67143	ROOM	40	905196			
1	181856	309	41	100129			
2	312971		42	905356			

০২/১২/২১

বিক্রম

B.P.T

নূরউদ্দিন মোহাম্মদ আলমগীর
ওসি, পরীক্ষা নিয়ন্ত্রণ সেল
বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া

03/12/20

	Time-2;00		01/12/2021			
	5CMT-66642		ROOM		5CMT-666	ROOM
1	950975	PBPI	305	39	111485	305
2	113472	GTI		40	111486	
3	113487			41	111487	
4	113516	BITE		42	111491	
5	113519			43	111492	
6	113523			44	111494	
7	113525			45	111503	
8	113529			46	111505	
9	113533			47	111512	
10	113535			48	111515	
11	177275			49	111516	
12	950712			50	111522	
13	950713			51	111527	
14	950720			52	111530	
15	950734			53	111532	
16	110937	IBIT		54	111534	
17	110962			55	177047	
18	110965			56	311753	
19	110972			57	311756	
20	110978			58	311758	
21	110981			59	940164	
22	110983			60	940195	
23	110984			61	950157	
24	110986			62	950170	
25	110989			63	950188	
26	110995			64	950202	
27	311014			65	950206	
28	311024			66	950234	
29	949522			67	950236	
30	949525			68	110829	NIT
31	949532			69	110832	
32	949535			70	110833	
33	111464	TTI		71	110836	
34	111465			72	110838	
35	111474			73	113424	SAIC
36	111477			74	113441	
37	111480					
38	111482					

306

Private
Poly

নুরউদ্দিন মোহাম্মদ আলমগীর
ওসি, পরীক্ষা নিয়ন্ত্রণ সেল
বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া

০০/০২/২২
বিক্রম

	7CMT-		ROOM		5ENT	p-2	ROOM
75	950702	BITE	306	1	950374	TTI	201
76	900708			2	950402		
77	950141	TTI		3	111656		
78	950155			4	950377		
79	950156			5	950391		
80	950158						
81	950166				7CS		ROOM
82	950183				981347	TMSS	309
83	950192				5CS		
84	950220				113744		
85	310739	NIT		177306			
86	949308						
87	949346			7MT-	5852	room	
	8CMT				213853	SPI	309
88	111749	TMSS	306				


মুরউদ্দিন মোহাম্মদ আলমগীর
ওসি, পরীক্ষা নিয়ন্ত্রণ সেল
বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া

Private
copy

02/12/20

				BOGURA POLYTECHNIC INSTITUTE.						
				Time-2;00			01/12/2021			
	8ET66845			ROOM	35	110848	NIT			
1	113494	GTI	309		36	110851				
2	113491				37	110853				
3	181589	BITE			38	110859				
4	950746				39	110865				
5	950752				40	110868				
6	950755				41	110869				
7	950759				42	110871				
8	950771				43	110874				
9	111007	IBIT			44	110881				
10	111009				45	110883				
11	111022				46	110893				
12	111024				47	110902				
13	949585				48	310799				
14	949586				49	310854				
15	950275	TTI			50	949401				
16	950288		309	51	113452	SAIC	309			
17	111551				52	113454				
18	111578				53	113457				
19	111588				54	111588				
20	111591				55	940636				
21	111593				56	311802		TMSS		
22	111605				57	311844				
23	111616				58	311881				
24	111625			309		7ET			310	
25	111626					59		310824		NIT
26	111635					60		949360		
27	111637					61		182331		SAIC
28	111640									
29	412568									
30	113720	BIT								
31	113467	SPI								
32	113468									
33	113472									
34	113477									
					PRINCIPAL					
				BOGURA POLYTECHNIC INSTITUTE.						

নুরউদ্দিন মোহাম্মদ আলমগীর
ওসি, পরীক্ষা নিয়ন্ত্রণ সেল
বগুড়া পলিটেকনিক ইন্সটিটিউট, বগুড়া



Private
Poly